

## APPENDICES

### Author Index

- Adachi Y  
1(2), 267–275
- Almeida L  
1(2), 223–230
- Aneja A  
1(1), 81–85
- Antoniou C  
1(2), 217–221
- Antonucci A  
1(1), 159–167
- Aragane Y  
1(1), 75–79
- Avgerinou G  
1(2), 217–221
- Bahtiyar G  
1(1), 81–85
- Boini KM  
1(2), 231–239
- Brandes AA  
1(1), 101–110
- Bubb C  
1(1), 81–85
- Buzzi AM  
1(1), 61–66
- Buzzi G  
1(1), 61–66
- Buzzi S  
1(1), 61–66
- Carr W  
1(1), 25–30
- Castro J  
1(1), 81–85
- Chang SM  
1(1), 53–60
- Choudhury A  
1(1), 111–121
- Creatsas G  
1(2), 241–248
- Cui X  
1(1), 123–129
- Cunningham C  
1(1), 67–74
- Deans KJ  
1(1), 123–129
- Della Croce C  
1(2), 197–202
- Dieter RS  
1(2), 175–176
- Dumont FJ  
1(2), 289–304
- Eichacker PQ  
1(1), 123–129
- El-Atat F  
1(1), 81–85
- Fleischmann R  
1(1), 11–23  
1(2), 255–266
- Ferrario CM  
1(2), 331–339
- Gaka I  
1(2), 241–248
- Gama H  
1(2), 223–230
- Gao W  
1(1), 67–74
- Grant M  
1(2), 305–318
- Haley M  
1(1), 123–129
- Hinerman R  
1(1), 67–74
- Hoshino-Yoshio N  
1(2), 267–275
- Iorizzo M  
1(1), 159–167
- Iqbal I  
1(1), 11–23
- Iqbal Z  
1(2), 249–254
- Irons BK  
1(2), 213–216
- Joseph L  
1(1), 81–85
- Katsambas AD  
1(2), 217–221
- Kawada A  
1(1), 75–79
- Khalid AM  
1(2), 249–254
- Kilari EK  
1(2), 231–239
- Koutsilieris M  
1(2), 241–248
- Kumar P  
1(1), 81–85
- Kwan Wong K  
1(2), 197–202
- Lamborn KR  
1(1), 53–60
- Lanier BQ  
1(1), 25–30
- Lebwohl MG  
1(2), 197–202
- Lembessis P  
1(2), 241–248
- Lip GYH  
1(1), 111–121
- Lonardi S  
1(1), 101–110
- Maelc M  
1(1), 53–60
- Maia J  
1(2), 223–230
- McClellan J  
1(1), 131–147
- McFarlane SI  
1(1), 43–47
- 1(1), 81–85
- Mellish DA  
1(1), 81–85
- Michalas S  
1(2), 241–248
- Mikhail M  
1(2), 319–330
- Minisini A F  
1(1), 91–100
- Minneci PC  
1(1), 123–129
- Morisi C  
1(1), 61–66
- Muniyappa R  
1(1), 81–85
- Nammi S  
1(2), 231–239
- Natanson C  
1(1), 123–129
- Nicolardi L  
1(1), 101–110
- Niederhofer H  
1(1), 87–90
- Nishimoto N  
1(2), 267–275
- Noecker R  
1(1), 31–41
- Pacanowski JP  
1(2), 175–176
- Page M  
1(1), 53–60
- Pashankar DS  
1(1), 149–157
- Passalacqua G  
1(2), 277–288
- Pastores GM  
1(2), 203–211
- Piga A F  
1(1), 91–100
- Piraccini BM  
1(1), 159–167
- Pironi F  
1(1), 61–66
- Potouridou I  
1(2), 217–221
- Prados MD  
1(1), 53–60
- Puglisi F  
1(1), 91–100
- Qureshi JA  
1(2), 249–254
- Rabbitt J  
1(1), 53–60
- Ramadan HH  
1(1), 67–74
- Ray A  
1(1), 1–5
- Rea DW  
1(2), 305–318
- Rice LB  
1(1), 1–5
- Rubboli D  
1(1), 61–66
- Salam AM  
1(1), 49–52
- Salifu M  
1(1), 81–85
- Scheinfeld NS  
1(2), 319–330
- Schmidt WT  
1(2), 175–176
- Seftel AD  
1(2), 185–196
- Shannon J  
1(1), 131–147
- Shergill IS  
1(2), 177–179
- Shin J  
1(1), 81–85
- Siddiqui RT  
1(2), 249–254
- Silveira P  
1(2), 223–230
- Smith RD  
1(2), 331–339
- Soares-da-Silva P  
1(2), 223–230
- Sourla A  
1(2), 241–248
- Sreemantula S  
1(2), 231–239
- Stavropoulos P  
1(2), 217–221
- Stefanaki C  
1(2), 217–221
- Stern R  
1(1), 11–23
- Stratigos A  
1(2), 217–221
- Tezuka T  
1(1), 75–79
- Tolia V  
1(1), 149–157
- Tosoni A F  
1(1), 101–110
- Tosti A  
1(1), 159–167
- Vaz-da-Silva M  
1(2), 223–230
- Watanabe D 1  
(2), 267–275
- Williams R  
1(1), 81–85
- Zhang P  
1(1), 67–74

### Compound Index

- 5HT4 receptor  
1(1), 149–157
- AccuNet™ (see filter EPDs)

- Acitretin  
1(2), 319–330
- Acyclovir  
1(1), 159–167
- Adalimumab  
1(1), 11–23
- Adalimumab  
1(2), 255–266  
1(2), 289–304
- ADOXA® (see oral antibiotics)  
1(1), 75–79
- Adrucil® (see fluorouracil)  
1(1), 91–100
- Agalsidase alfa  
1(2), 203–211
- Agiomax™ (see thrombin inhibitor)  
1(1), 49–52
- Alefacept  
1(2), 181–184  
1(2), 289–304
- Almokalant  
1(1), 111–121
- Alphagan®P (see  $\alpha$ -adrenergic agonist)  
1(1), 31–41
- Alprostadil  
1(2), 185–196
- Alvesco® (see soft steroid)
- Amevive® (see alefacept)
- Aminoglutethimide  
1(2), 305–318
- Anakinra  
1(2), 255–266  
1(2), 289–304
- Anastrozole  
1(2), 305–318
- AngioGuard™ (see filter EPDs)
- Anthracyclines  
1(1), 91–100
- Antiarrhythmics  
1(1), 111–121
- Anticoagulant  
1(1), 49–52
- Antifungals  
1(1), 111–121
- Anti-IgE monoclonal antibodies  
1(2), 277–288
- Antimicrobial  
1(1), 1–5
- Antithymocyte globulin  
1(2), 289–304
- Anti-TNF agent  
1(1), 11–23  
1(1), 159–167
- Antivirals  
1(1), 159–167
- Arava® (see leflunomide)
- Arestin® (see tigecycline)  
1(1), 1–5
- Argatroban® (see thrombin inhibitor)  
1(1), 49–52
- Ariflo® (see PDE inhibitors)
- Arimidex® (see anastrozole)
- Aromasin® (see exemestane)
- Arzoifene  
1(2), 305–318
- Autism  
1(1), 87–90
- Avage™ (see tazarotene)  
1(1), 159–167
- Azopt® (see carbonic anhydrase inhibitor)  
1(1), 31–41
- Basiliximab  
1(2), 289–304
- Betamethasone valerate  
1(2), 319–330
- Betapace® (see antiarrhythmics)  
1(1), 111–121
- Betaxolol  
1(1), 31–41
- Bimatoprost  
1(1), 31–41
- Bivalirudin  
1(1), 49–52
- Brimonidine  
1(1), 31–41
- Brinzolamide  
1(1), 31–41
- Calcipotriene  
1(2), 319–330
- Calcipotriol  
1(1), 159–167
- Calcipotriol (see topical steroids)
- Camppto® (see irinotecan)
- Captopril  
1(2), 223–230
- Carbonic anhydrase inhibitor  
1(1), 31–41
- Cardura® (see  $\alpha$ -blocker)  
1(1), 43–47
- Ceftriaxone  
1(1), 1–5
- Celebrex® (see celecoxib)
- Celecoxib  
1(2), 305–318
- Certican® (see everolimus)
- Cholinergics  
1(1), 31–41
- Cialis® (see tadalafil)
- Ciclesonide (see soft steroid)
- Cilomilast (see PDE inhibitors)
- Cimetidine  
1(1), 111–121
- Cisapride  
1(1), 149–157
- Class IC drugs  
1(1), 111–121
- Clindamycin  
1(1), 75–79
- Clobetasol propionate  
1(2), 319–330
- Concert® (see I<sub>k</sub> blockers)  
1(1), 111–121
- Cosopt® (see prostamide)  
1(1), 31–41
- Co-trimoxazole  
1(1), 75–79
- Cubicin® (see cyclic lipopeptide)  
1(1), 1–5
- Cyclic lipopeptide  
1(1), 1–5
- Cyclophosphamide  
1(1), 91–100
- Cyclosporine  
1(2), 197–202  
1(2), 217–221  
1(2), 289–304
- CYP3A4 inhibitor  
1(2), 185–196
- Cytotec® (see synthetic prostaglandin E analogs)  
1(1), 149–157
- Daclizumab  
1(2), 289–304
- Dalfopristin  
1(1), 1–5
- Daptomycin C  
1(1), 1–5
- Daxas® (see PDE inhibitors)
- Dermatop® (see prednicarbate)
- Dermovate® (see clobetasol propionate)
- Diflucan® (see fluconazole)  
1(1), 159–167
- Digoxin  
1(1), 111–121
- Diltiazem  
1(1), 111–121
- Distal balloon occlusion device  
1(2), 175–176
- Dofetilide  
1(1), 111–121
- Dorzolamide  
1(1), 31–41
- Dosimeter 1(2), 223–230
- Dovonex® (see calcipotriol)  
1(1), 159–167
- Doxazosin  
1(1), 43–47
- Doxycycline  
1(1), 75–79
- Droloxifene 1(2), 305–318
- D-sotalol  
1(1), 111–121
- E4031  
1(1), 111–121
- Efalizumab  
1(2), 197–202  
1(2), 277–288  
1(2), 289–304  
1(2), 319–330
- Effexor® (see autism)  
1(1), 87–90
- Elidel® (see pimecrolimus)
- Ellence® (see epirubicin)  
1(1), 91–100
- Eloxatin® (see oxaliplatin)
- Emgel® (see oral antibiotics)  
1(1), 75–79
- Enalapril 1(2), 223–230
- Enbrel® (see etanercept)
- Epirubicin  
1(1), 91–100
- Erlotinib  
1(1), 67–74
- Erythromycin  
1(1), 75–79
- Etanercept  
1(1), 11–23  
1(1), 159–167  
1(2), 255–266  
1(2), 289–304
- Etoposide  
1(1), 53–60
- Etretinate 1(2), 217–221
- Everolimus 1(2), 289–304
- Evista® (see raloxifene)
- Exanta™ (see anticoagulant)  
1(1), 49–52
- Exemestane 1(2), 305–318
- Fareston® (see toremifene)
- Faslodex® (see fulvestrant)
- Femara® (see letrozole)
- Filter EPDs  
1(2), 175–176
- FilterWire EX™ (see filter EPDs)
- Fixed combination timolol–dorzolamide  
1(1), 31–41
- Flecainide  
1(1), 111–121
- Fluconazole  
1(1), 159–167

## APPENDICES

- Fluorouracil  
1(1), 91–100
- Fulvestrant  
1(2), 305–318
- Gefitinib  
1(1), 67–74
- Genasense®  
1(2), 249–254
- Gengraf® (see cyclosporine A)
- Gleevec® (see tyrosine kinase inhibitor) 1(1), 67–74
- Gleevec™ (see kinase inhibitor)
- Greenlight photoselective vaporization of prostate  
1(2), 177–179
- Greenlight PVP™ (see greenlight photoselective vaporization of prostate)
- Haldol® (see haloperidol)  
1(1), 131–147
- Halobetasol propionate  
1(2), 319–330
- Haloperidol  
1(1), 131–147
- Herceptin® (see monoclonal antibody)  
1(1), 67–74
- Hirudin  
1(1), 49–52
- Humira® (see adalimumab)  
1(1), 11–23
- Hybond N™  
1(2), 241–248
- Ibutilide  
1(1), 111–121
- Idoxifene  
1(2), 305–318
- I<sub>k</sub> blockers  
1(1), 111–121
- Imatinib  
1(1), 67–74
- Imatinib (see kinase inhibitor)
- Imidapril  
1(2), 223–230
- ImmunoCruz™ Staining System  
1(2), 241–248
- Infliximab  
1(1), 11–23  
1(1), 159–167
- Infliximab  
1(2), 255–266  
1(2), 289–304
- IPD® (see suplatast tosilate)
- Iressa® (see tyrosine kinase inhibitor)  
1(1), 67–74
- Irinotecan  
1(2), 181–184
- Itraconazole  
1(1), 159–167
- Itraconazole (see CYP3A4 inhibitor)
- Keliximab  
1(2), 277–288
- Ketek™ (see ketolide antibiotic)  
1(1), 1–5
- Ketoconazole  
1(1), 111–121
- Ketoconazole (see CYP3A4 inhibitor)
- Kinase inhibitor  
1(2), 249–254
- Kineret® (see anakinra)
- Lasofoxifene  
1(2), 305–318
- Latanoprost  
1(1), 31–41
- Laxatives  
1(1), 149–157
- Leflunomide  
1(2), 289–304
- Letrozole  
1(2), 181–184  
1(2), 305–318
- Levitra® (see vardenafil)
- Levofloxacin  
1(1), 75–79
- Linezolid  
1(1), 1–5
- Lisinopril  
1(1), 43–47
- Loxapine  
1(1), 131–147
- Loxitan® (see loxapine)  
1(1), 131–147
- Lumigan® (see prostamide)  
1(1), 31–41
- Luxiq® (see betamethasone valerate)
- Lymecyclin  
1(1), 75–79
- MabThera® (see rheumatoid arthritis)  
1(1), 11–23
- Magnesium hydroxide  
1(1), 149–157
- MedNova NeuroShield™ (see filter EPDs)  
1(2), 277–288
- Megace® (see meggestrol acetate)  
1(2), 305–318
- Meggestrol acetate  
1(2), 305–318
- Mellaril® (see thioridazine)  
1(1), 131–147
- Mepolizumab  
1(2), 277–288
- Methotrexate  
1(2), 197–202
- Micanol®  
1(2), 319–330
- MicroLab™ 3500 (see spirometer)
- Milk of magnesia® (see laxatives) 1(1), 149–157
- Minocin MR® (see oral antibiotics)  
1(1), 75–79
- Minocycline  
1(1), 1–5  
1(1), 75–79
- Misoprostol  
1(1), 149–157
- Monoclonal antibody  
1(1), 67–74
- Nitrosourea  
1(1), 53–60
- Nizoral® (see antifungals)  
1(1), 111–121
- Nolvadex® (see salvage chemotherapy)  
1(1), 53–60
- OKT®3 (see orthoclone)
- Olux® (see clobetasol propionate)
- Omalizumab  
1(1), 25–30
- Omalizumab (see anti-IgE monoclonal antibodies)
- Oral antibiotics  
1(1), 75–79
- Orimet® (see aminoglutethimide)
- Orthoclone  
1(2), 289–304
- OSI-774  
1(1), 67–74
- Ospemifene  
1(2), 305–318
- Oxaliplatin  
1(2), 181–184
- Paclitaxel  
1(1), 91–100
- Pascolizumab  
1(2), 277–288
- PDE inhibitors  
1(2), 277–288
- PercuSurge® (see distal balloon occlusion device)
- Pilocarpine  
1(1), 31–41
- Pilscainide  
1(1), 111–121
- Pimecrolimus  
1(2), 277–288
- Pimsol® (see oral antibiotics)  
1(1), 75–79
- Prednicarbate  
1(2), 319–330
- Prepulsid™ (see prokinetic agent)  
1(1), 149–157
- Prograf® (see tacrolimus)
- Prokinetic agent  
1(1), 149–157
- Propafenone  
1(1), 111–121
- Prostaglandin  
1(1), 31–41
- Prostamide  
1(1), 31–41
- Quinolones  
1(1), 75–79
- Quinupristin  
1(1), 1–5
- Raloxifene  
1(2), 305–318
- Ramipril  
1(2), 223–230
- Rapamune® (see sirolimus)
- Raptiva® (see efalizumab)
- Recombinant DNA-derived humanized monoclonal IgG1 antibody  
1(1), 25–30
- Refludan® (see thrombin inhibitor)  
1(1), 49–52
- Remicade® (see anti-TNF agent)  
1(1), 11–23
- Remicade® (see infliximab)  
1(1), 159–167
- Reserpine  
1(2), 231–239
- Reserpine methonitrate  
1(2), 231–239
- Rheumatoid arthritis  
1(1), 11–23
- Ritonavir (see CYP3A4 inhibitor)
- Rituxan® (see monoclonal antibody)  
1(1), 67–74
- Rituximab  
1(1), 11–23  
1(1), 67–74
- Rocephin® (see β-lactam)  
1(1), 1–5
- Roflumilast (see PDE inhibitors)
- Rythmol® (see class IC drugs)  
1(1), 111–121
- Salvage chemotherapy  
1(1), 53–60
- Sandimmune Neoral® (see cyclosporine)
- Septin® (see oral antibiotics)  
1(1), 75–79
- Sildenafil  
1(2), 185–196
- Simulect® (see basiliximab)
- Sirolimus  
1(2), 289–304
- Soft steroid  
1(2), 277–288
- Soriataine® (see acitretin)
- Sotalol  
1(1), 111–121
- Spira™ Elektro 2 (see dosimeter)
- Spirometer  
1(2), 223–230
- Sunrhythm® (see class IC drugs)  
1(1), 111–121
- Suplatast tosilate  
1(2), 277–288

- Synercid® (see antimicrobial)  
1(1), 1–5
- Synthetic prostaglandin E analogues  
1(1), 149–157
- Tacrolimus  
1(2), 289–304
- Tadalafil  
1(2), 185–196
- Tambacor® (see class IC drugs)  
1(1), 111–121
- Tamoxifen  
1(1), 53–60
- Tarceva® (see tyrosine kinase inhibitor)  
1(1), 67–74
- Tavanic® (see quinolones)  
1(1), 75–79
- Taxol® (see anthracyclines)  
1(1), 91–100
- Tazarotene  
1(1), 159–167  
1(2), 319–330
- Tazorac® (see tazarotene)
- Tedisamil® (see IK blockers)  
1(1), 111–121
- Tegaserod  
1(1), 149–157
- Tegison® (see etretinate)
- Telithromycin  
1(1), 1–5
- Temodal® (see nitrosourea)  
1(1), 53–60
- Temodar® (see temozolomide)  
1(1), 101–110
- Temozolomide  
1(1), 53–60  
1(1), 101–110
- Tetracycline  
1(1), 75–79
- Tetralsal 300® (see oral antibiotics)  
1(1), 75–79
- Thioridazine  
1(1), 131–147
- Thiothixene  
1(1), 131–147
- Thrombin inhibitor  
1(1), 49–52
- Thymoglobulin® (see antithymocyte globulin)
- Tigecycline  
1(1), 1–5
- Tikosyn® (see IK blockers)  
1(1), 111–121
- Timolol  
1(1), 31–41
- Tipredane  
1(2), 319–330
- Topical steroids  
1(2), 217–221
- Toremifene  
1(2), 305–318
- Trastuzumab  
1(1), 67–74
- Travatan® (see prostamide)  
1(1), 31–41
- Travoprost  
1(1), 31–41
- Trimethoprim  
1(1), 75–79
- Trusopt® (see carbonic anhydrase inhibitor)  
1(1), 31–41
- Tyrosine kinase inhibitor  
1(1), 67–74
- Ultravate® (see halobetasol propionate)
- Vardenafil  
1(2), 185–196
- Venlafaxine  
1(1), 87–90
- Verapamil  
1(1), 111–121
- Viagra® (see sildenafil)
- VP-16® (see salvage chemotherapy)  
1(1), 53–60
- Xalatan® (see prostamide)  
1(1), 31–41
- Ximelagatran  
1(1), 49–52
- Xolair® (see anti-IgE monoclonal antibodies)
- Xolair® (see recombinant DNA-derived humanized monoclonal IgG1 antibody)  
1(1), 25–30
- Zelnorm® (see 5HT4 receptor)  
1(1), 149–157
- Zenapax® (see daclizumab)
- Zindaclin® (see oral antibiotics)  
1(1), 75–79
- Zoledronic acid  
1(2), 305–318
- Zometa® (see zoledronic acid)
- Zovirax® (see antivirals)  
1(1), 159–167
- Zyvox® (see antimicrobial)  
1(1), 1–5
- $\alpha$ -adrenergic agonist  
1(1), 31–41
- $\alpha$ -blocker  
1(1), 43–47
- $\beta$ -adrenergic antagonist  
1(1), 31–41
- $\beta$ -lactam  
1(1), 1–5