

## Author Index

- Abdollahi M  
2(2), 233–238  
2(2), 255–259  
2(3), 393–398  
2(5), 787–796
- Abruzzo G  
2(4), 615–621
- Afshari M  
2(5), 759–765
- Ahmadi-Abhari SA  
2(3), 399–406
- Ahrén B  
2(2), 207–222
- Akhondzadeh S  
2(3), 399–406  
2(4), 609–614  
2(5), 739–744  
2(5), 739–744
- Alem ZM  
2(3), 399–406
- Alfredson H  
2(3), 387–392
- Al-Mosawi AJ  
2(1), 91–94  
2(2), 243–247  
2(5), AM
- Amini H  
2(5), 739–744  
2(5), 739–744
- Ananda A  
2(5), 733–737
- Antonello RM  
2(4), 649–658
- Avital S  
2(4), 603–607
- Aytaman A  
2(3), 439–446
- Baek GH  
2(5), 779–785
- Bahtiyar G  
2(3), 439–446
- Baldelli S  
2(1), 95–105
- Bálint GP  
2(2), 287–300
- Baradar-Jalili R  
2(5), 759–765
- Barrett JF  
2(1), 67–76
- Bartizal K  
2(4), 615–621
- Bastanhagh M-H  
2(5), 759–765
- Bathaei FS  
2(5), 739–744
- Battista N  
2(1), 141–150
- Benitez-King G  
2(5), 767–785
- Berger WE  
2(2), 167–178
- Blondeau JM  
2(1), 61–66  
2(3), 357–373  
2(4), 511–516
- Bowman J  
2(4), 615–621
- Brascesco OE  
2(4), 603–607
- Breuer K  
2(1), 37–56
- Brooks TWA  
2(4), 669–675
- Buckely CD  
2(1), 121–129  
2(4), 659–668
- Buckley PF  
2(5), 699–707
- Burlet N  
2(2), 179–189
- Burman A  
2(1), 121–129
- Carballo-Jane E  
2(2), 261–273
- Cather JC  
2(1), 23–35
- Cattaneo D  
2(1), 95–105
- Cazzato G  
2(4), 649–658
- Chaney C  
2(4), 587–595
- Chung MS  
2(5), 779–785
- Clark LT  
2(1), 113–119
- Cokkinos DV  
2(3), 415–423
- Cooper LD  
2(4), 521–524
- Coremans G  
2(4), 559–567
- Daar ES  
2(1), 131–140
- Dahlöf C  
2(3), 349–356
- D'Alo F  
2(5), 717–731
- Dannon PN  
2(2), 249–254  
2(5), 753–757
- Darvishzadeh F  
2(5), 759–765
- Debrock S  
2(4), 609–614
- D'Hooghe DM  
2(4), 609–614
- Distant D  
2(4), 597–602
- Douglas C  
2(4), 615–621
- Doyle K  
2(4), 521–524
- Eberhardt R  
2(2), 223–228
- El-Atat FA  
2(1), 113–119
- Elfhag K  
2(1), 107–112
- Ernest M  
2(5), 753–757
- Fadagee M  
2(5), 759–765
- Fazio N  
2(2), 229–235
- Felcetto T  
2(2), 261–273
- Fezza F  
2(1), 141–150
- Filer A  
2(1), 121–129
- Finch CK  
2(4), 669–675
- Finn WF  
2(4), 545–557
- Forrest G  
2(2), 261–273
- Frantz-Wattley B  
2(2), 261–273
- Friedman E  
2(4), 597–602
- Gaspari F  
2(1), 95–105
- Gasperi N  
2(1), 141–150
- Ghahary A  
2(5), 759–765
- Gill C  
2(4), 615–621
- Gonopolski Y  
2(5), 753–757
- Gony HS  
2(5), 779–785
- Gonzalez AM  
2(4), 521–524
- Gotti E  
2(1), 95–105
- Graff-Radford SB  
2(5), 733–737
- Groen GJ  
2(4), 577–585
- Guazzi M  
2(4), 641–648
- Guenther LC  
2(3), 343–348
- Gurnett A  
2(2), 261–273
- Halapas A  
2(3), 415–423
- Hansen GT  
2(1), 61–66
- Haria DM  
2(4), 597–602
- Hashemi L  
2(5), 739–744
- Haworth O  
2(1), 121–129
- Hedelt A  
2(4), 587–595
- Herth FJF  
2(2), 223–228
- Hickey E  
2(4), 615–621
- Hong J  
2(4), 597–602
- Hui ACF  
2(3), 455–463
- Humar A  
2(3), 333–341
- Iancu I  
2(2), 249–254
- Jilma B  
2(3), 465–502
- Jimenez G  
2(5), 767–785
- Kapp A  
2(1), 37–56
- Kane I  
2(5), 709–716
- Karnlipour A  
2(5), 739–744
- Kashani L  
2(5), 739–744
- Kavanaugh A  
2(1), 13–21
- Kehoe S  
2(2), 275–286
- Kelley KW  
2(4), 669–675
- Khaleghnezhad Tabari N  
2(5), 693–697
- Khalilzadeh A  
2(2), 255–259

## APPENDICES

- Korda J  
2(2), 287–300
- Kotler M  
2(2), 249–254  
2(5), 753–757
- Koutsilieris M  
2(3), 415–423
- Kwon S  
2(2), 261–273
- Lacasse JJ  
2(1), 77–90
- Lachmann RH  
2(4), 569–576
- Larijani B  
2(5), 739–744  
2(5), 693–697  
2(5), 759–765  
2(5), 787–796
- Leavitt P  
2(2), 261–273
- Lecart M-P  
2(2), 179–189
- Lee SJ  
2(1), 13–21
- Lembessis P  
2(3), 415–423
- Leone G  
2(5), 717–731
- Liberator P  
2(4), 615–621
- Logan A  
2(4), 521–524
- Lowengrub K  
2(2), 249–254  
2(5), 753–757
- Grunhaus L  
2(2), 249–254
- Maccarone M  
2(1), 141–150
- MacDonald TM  
2(3), 325–328
- MacFadyen RJ  
2(3), 325–328
- Mackinejad K  
2(3), 399–406
- Mailapur R  
2(4), 603–607
- Markenson JA  
2(3), 447–454
- Mashayekhi F  
2(2), 233–238
- McCall AL  
2(4), 587–595
- McCallum C  
2(2), 261–273
- McFarlane SI  
2(1), 113–119  
2(2), 159–161
- 2(3), 439–446  
2(5), MC
- McNamara CA  
2(4), 587–595
- Meghani S  
2(4), 597–602
- Menter A  
2(1), 23–35
- Mező R  
2(2), 287–300
- Michael B  
2(2), 261–273
- Mihalyi A  
2(4), 623–639
- Milajerdi MR  
2(5), 739–744
- Miller III TM  
2(4), 587–595
- Misura A  
2(4), 615–621
- Mohammadi MR  
2(4), 609–614
- Moin M  
2(5), 739–744
- Mojtahedzadeh M  
2(2), 255–259  
2(3), 393–398
- Mokhberi K  
2(5), 739–744
- Momeni F  
2(4), 609–614
- Moretti R  
2(4), 649–658
- Morrisson J  
2(2), 275–286
- Muller AF  
2(4), 525–532
- Murphy LJ  
2(1), 7–12
- Mutinda KC  
2(4), 609–614
- Mwenda JM  
2(4), 609–614
- Najafi A  
2(2), 255–259
- Nejatisafa A-A  
2(5), 739–744
- Newman A  
2(5), 733–737
- Nicasio J  
2(1), 113–119
- 2(5), MC
- Öhberg L  
2(3), 387–392
- O'Neill E  
2(2), 261–273
- Ortiz-Lopez L  
2(5), 767–785
- Pajouhi M  
2(5), 759–765
- Pantos C  
2(3), 415–423
- Paolucci P  
2(4), 603–607
- Patou G  
2(3), 357–373
- Parsonage G  
2(1), 121–129
- Peco-Antic A  
2(2), 301–309
- Perico N  
2(1), 95–105
- Perna A  
2(1), 95–105
- Perry ML  
2(4), 587–595
- Pikounis P  
2(4), 615–621
- Pishori T  
2(4), 603–607
- Pliquet RU  
2(3), 425–437
- Prvencher VMI  
2(1), 77–90
- Rahimi R  
2(5), 787–796
- Raza K  
2(4), 659–668
- Razavi MK  
2(1), 57–59
- Read ML  
2(4), 521–524
- Reginster J-Y  
2(2), 179–189
- Remuzzi G  
2(1), 95–105
- Rezaie A  
2(2), 233–238
- Reiter RA  
2(3), 465–502
- Rogers J  
2(1), 1–2
- Rosin D  
2(4), 603–607
- Rosenthal RJ  
2(4), 603–607
- Rossner S  
2(1), 107–112
- Salari P  
2(3), 393–398
- Salifu MO  
2(4), 597–602
- 2(5), 787–796
- Salmon M  
2(1), 121–129  
2(4), 659–668
- Sandercock P  
2(5), 709–716
- Sands L  
2(4), 603–607
- Schang LM  
2(1), 77–90
- Schwartz JRL  
2(2), 191–206
- Sebastian S  
2(5), 699–707
- Semba CP  
2(1), 57–59
- Shafaei A-R  
2(5), 739–744
- Sharifzadeh M  
2(2), 233–238
- Shoop W  
2(2), 261–273
- Simovic D  
2(5), 797–803
- Simsa P  
2(4), 609–614
- Siu C-W  
2(2), 311–319
- Sourla A  
2(3), 415–423
- Standridge JB  
2(3), 375–380
- Stratilatova M  
2(4), 597–602
- Sumrani N  
2(4), 597–602
- Szomstein S  
2(4), 603–607
- Taylor AM  
2(4), 587–595
- Thaler K  
2(4), 603–607
- Thompson C  
2(2), 261–273
- Tillotson G  
2(3), 357–373  
2(4), 511–516
- Torre P  
2(4), 649–658
- Tse H-F  
2(2), 311–319
- Tyler KD  
2(4), 587–595
- Urbanowski MD  
2(1), 77–90
- van der Lely AJ  
2(4), 525–532
- Vassigh A-R  
2(5), 759–765
- Vazin A  
2(2), 255–259
- Voso MT  
2(5), 717–731

Weisler RH	2(4), 533–544	Almotriptan	2(3), 349–356	Betamethasone	2(3), 343–348	Ciprofloxacin	2(3), 357–373
Werfel TT	2(1), 37–56	Alosetron	2(4), 559–567	Betamethasone dipropionate	2(3), 343–348	Cisplatin	2(2), 275–286
Wexner S	2(4), 603–607	Alteplase	2(5), 709–716	Betamethasone valerate	2(1), 37–56	Clarithromycin	2(3), 357–373
Wilder-Smith OHG	2(4), 577–585	AM1172	2(1), 141–150	Bisphosphonates	2(2), 179–189	Clavulanic acid	2(1), 67–76
Wolff AP	2(4), 577–585	AM404	2(1), 141–150	Bradykinin	2(3), 465–502	Clobetasol-17-propionate	2(1), 37–56
Wong S-M	2(3), 455–463	AMD3100	2(1), 121–129	Budesonide	2(2), 167–178	Clobetasone 17-butyratecream	2(3), 343–348
Yam P	2(4), 669–675	Amevive®	2(1), 13–21	Bupropion	2(5), 753–757	Clonazepa	2(5), 733–737
Zaller D	2(2), 261–273	Amiloride	2(4), 669–675	Calcipotriol	2(1), 37–56	Clopidogrel	2(3), 465–502
Zamani MJ	2(2), 233–238	Amiodarone	2(4), 641–648	Calcium	2(2), 179–189	CNS stimulants	2(2), 191–206
Zenoni S	2(1), 95–105	Amitriptyline	2(5), 733–737	Calcium acetate	2(4), 545–557	Concomitant lorazepam	2(5), 739–744
Zhang P	2(1), 1–2	Amoxicillin	2(1), 67–76	Calcium carbonate	2(4), 545–557	Coumadin	2(3), 425–437
	2(3), 381–386	Amoxicillin/clavulanate	2(3), 357–373	Candersartan	(see angiotensin receptor blockers)	Cosyntropin	2(2), 167–178
<b>Compound Index</b>		Amphetamine	(see CNS stimulants)	Captopril	(see angiotensin-converting enzyme inhibitor)	Creatinine	2(2), 179–189
2-arachidonoyl glycerol	2(1), 141–150	Amphotericin B	2(4), 615–621	Carbachol	2(2), 191–206	CS-747	2(3), 465–502
2-[(diphenylmethyl)sulfinyl]acetamide	(see Modafinil)	Ampicillin	2(1), 67–76	Carbamezapine	2(5), 733–737	Cyclophosphamide	2(2), 275–286
2,4,6-tripyridyl-S-triazine	2(2), 233–238	Anandamide	2(1), 141–150	Carbatrol® (see carbamezapine)		Cyclosporine	2(1), 13–21
3TC	2(1), 131–140	Anakinra	2(3), 447–454	Carboplatin	2(2), 275–286		2(1), 95–105
Abciximab	2(3), 465–502	Angiotensin receptor blockers	2(2), 301–309	Carbostent	2(3), 465–502	Cymbalta®(see duloxetine)	
Actilyse® (see alteplase)		Angiotensin-converting enzyme inhibitor	2(2), 301–309	Carvedilol	2(4), 641–648	Cytarabine	2(5), 717–731
Acyclovir	2(3), 333–341	AR-C69931MX	2(3), 465–502	Casparfungin	2(4), 615–621	Daivobet® (see betamethasone dipropionate ointment )	
Adalimumab	2(1), 13–21	Aripiprazole	2(5), 699–707	Ceftriaxone	2(3), 357–373	Danazol	2(4), 623–639
	2(3), 447–454	Ascolimus	2(1), 37–56	Cefuroxime axetil	2(3), 357–373	Decitabine	2(5), 717–731
Adenosine	2(3), 465–502	Aspirin	2(3), 465–502	Celecoxib	2(3), 325–328	Deoxycytidine monophosphate	2(3), 333–341
AeroChamber® Plus	2(2), 167–178		2(3), 325–328		2(4), 623–639	Depakote®(see valproic acid)	
Agalsidase-α	2(4), 569–576	Azacitidine	2(5), 717–731	Cephalosporin	2(3), 357–373	Desisobutyryl-ciclesonide	2(2), 167–178
Agalsidase-β	2(4), 569–576	Azithromycin	2(3), 357–373	Chloramphenicol	2(1), 61–66	Desmopressin	2(4), 669–675
Aldosterone	2(3), 425–437	Baclofen	2(5), 733–737	Ciclesonide	2(2), 167–178	Dextroamphetamine	(see CNS stimulants)
Alefacept	2(1), 23–35	Beclomethasone dipropionate 2	(2), 167–178	Cidofovir	2(3), 333–341	Diazepam	2(5), 733–737
Alendronate	2(2), 179–189	Bendrofluazide	2(3), 455–463	Cilansetron	2(4), 559–567	Diclofenac	2(3), 465–502
Alglucerase	2(4), 569–576			Cilostazol	2(3), 465–502	Digoxin	2(3), 357–373
Allopurinol	2(5), 739–744						2(4), 545–557

## APPENDICES

Dilantin® (see phenytoin)	Galantamine	Interleukin-1	Melagatran
Dinarvand	2(4), 649–658	2(3), 447–454	2(3), 465–502
2(3), 399–406	Ganciclovir	Intravenous cidofovir	Methicillin
Dipyridamole	2(3), 333–341	2(3), 333–341	2(2), 287–300
2(3), 465–502	Gatifloxacin	Intravenous foscarnet	Methotrexate
Divalproex	2(1), 61–66	2(3), 333–341	2(1), 13–21
2(5), 739–744	2(3), 357–373	Intravenous ganciclovir	2(3), 447–454
Donepezil	Gefitinib	2(3), 333–341	Methylphenidate (see CNS stimulants)
2(4), 649–658	2(1), 1–2	Intravenous immunoglobulin	Methylphenidate
Dopamine	Gemifloxacin	2(5), 797–803	2(2), 191–206
2(2), 191–206	2(1), 61–66	Irbesartan	2(4), 609–614
Dovobet® (see betamethasone dipropionate ointment)	2(3), 357–373	2(3), 425–437	Methylprednisolone
Doxorubicin	Gingerols	Iressa®	2(3), 455–463
2(2), 275–286	2(3), 465–502	2(1), 1–2	2(5), 797–803
Duloxetine	Gleevec® (also, Glivec®)	Ketamine hydrochloric acid	Metoprolol
2(5), 733–737	2(1), 1–2	2(3), 415–423	2(4), 545–557
Effexor® (see venlafaxine)	Glimepiride (see Sulfonylureas)	Klonopin® (see clonazepam)	Miglustat
Eletriptan	Glipizide (see Sulfonylureas)	KW-7	2(4), 569–576
2(3), 349–356	Glyburide (see Sulfonylureas)	2(3), 465–502	Modafinil
Enalapril (see angiotensin-converting enzyme inhibitor)	GR 65,630	Lamictal® (see lamotrigine)	2(2), 191–206
Eptifibatid	2(4), 559–567	Lamivudine	Modified-released Dipyridamole
2(3), 465–502	Grepafloxacin	2(1), 131–140	2(3), 465–502
Erlotinib	2(1), 61–66	Lamifiban	Mometasone furoate
2(1), 1–2	2(3), 357–373	2(3), 465–502	2(2), 167–178
Erythromycin	Halobetasol	Lamotrigine	Morphine-triggered Naltrexone Delivery system
2(3), 357–373	2(3), 343–348	2(3), 399–406	2(3), 399–406
Essential oil preparations	Haloperidol	2(5), 733–737	Moxifloxacin
2(2), 243–247	2(5), 739–744	Lanthanum carbonate	2(1), 61–66
Etanercept	Heparin	2(4), 545–557	2(3), 357–373
2(1), 13–21	2(1), 57–59	L-DOPA	<i>N</i> -(4-hydroxyphenyl)arachidonoyl- amide
2(4), 623–639	Histamine	2(1), 141–150	2(1), 141–150
Exenatide	Humira®	Leflunomide	<i>N</i> -arachidonoylbenzylamine
2(2), 207–222	2(1), 13–21	2(3), 333–341	2(1), 141–150
Extended-release dipyridamole	Hydrofluoroalkane	Levofloxacin	<i>N</i> -arachidonylethanolamine
2(3), 465–502	2(2), 167–178	2(1), 61–66	2(1), 141–150
Fast-disintegrating/rapid-release oral sumatriptan	Ibandronate	2(3), 357–373	<i>N</i> -arachidonoylpropylamine
2(3), 349–356	2(2), 179–189	2(4), 511–516	2(1), 141–150
FK506	Ibuprofen	Lidocaine	Naltrexone
2(1), 37–56	2(3), 325–328	2(3), 455–463	2(3), 399–406
Flavopiridol	2(3), 455–463	Lioresal® (see baclofen)	2(5), 753–757
2(1), 77–90	2(3), 465–502	Lisinopril	Naproxen
Fluticasone propionate	Imatinib	2(4), 641–648	2(3), 465–502
2(2), 167–178	2(1), 1–2	Lithium carbonate	2(3), 325–328
Flurbiprofen	Imiglucerase	2(4), 669–675	Naratriptan
2(3), 465–502	2(4), 569–576	Loperamide	2(3), 349–356
Fomiversen	Imodium® (see loperamide)	2(4), 559–567	NCX 4016
2(3), 333–341	Indomethacin	Losartan (see angiotensin Receptor Blockers)	2(3), 465–502
Foscarnet	2(4), 669–675	Lotronex™ (see alosetron)	Neoral
2(3), 333–341	Infliximab	2(4), 623–639	2(1), 95–105
Fosrenol®	2(1), 13–21	Loxoribine	Neurontin® (see gabapentin)
(see lanthanum carbonate)	2(3), 447–454	2(4), 623–639	<i>N</i> -oleoylethanolamide
Frovatriptan	2(4), 623–639	Lyrica® (see pregabalin)	2(1), 141–150
2(3), 349–356	Inhaled corticosteroid	Macrolide/azalide	<i>N</i> -palmitoylethanolamine
Gabapentin	2(2), 167–178	2(3), 357–373	2(1), 141–150
2(5), 733–737	Interferon- $\alpha$	Maribavir	NSP 513
	2(2), 229–235	2(3), 333–341	2(3), 465–502
	Interferon- $\beta$		
	2(4), 521–524		

Olanzapine 2(5), 739–744	Polidocanol 2(3), 387–392	Somatostatin 2(2), 229–235	Trimethoprim/sulfamethoxazole 2(3), 357–373
Olympus BF-UC40P 2(2), 223–228	Prasugrel 2(3), 465–502	STI-571 2(1), 1–2	Triptolide 2(2), 261–273
Ondansetron 2(4), 559–567	Prednisolone 2(3), 455–463	Sulfinpyrazone 2(3), 465–502	Trovafloxacin 2(1), 61–66
Oral acyclovir 2(3), 333–341	Pregabalin 2(5), 733–737	Sulfonylureas 2(2), 207–222	Tums® (see renagel)
Oral and intravenous ganciclovir 2(3), 333–341	Procainamide 2(5), 717–731	2(5), ED	Turbuhaler® (see budesonide)
Oral ganciclovir 2(3), 333–341	Procaine 2(5), 717–731	Sumatriptan 2(3), 349–356	UCM 707 2(1), 141–150
Orlistat 2(1), 7–12	Propentophylline 2(4), 649–658	Tacrolimus 2(1), 37–56	Ur-3216 2(3), 465–502
OSI 774 2(1), 1–2	Provigil® (see Modafinil)	2(4), 597–602	Urinex (see essential oil preparations)
Oxcarbazepine 2(5), 733–737	Ps-341 2(3), 381–386	Tarceva® 2(1), 1–2	Valacyclovi 2(3), 333–341
Ozdogan 2(3), 455–463	Pulmicort® (see budesonide)	Taxane 2(2), 275–286	Valdecoxib 2(3), 465–502
Paclitaxel 2(2), 275–286	Pyridoxine 2(3), 333–341	Tazobactam 2(1), 67–76	2(3), 325–328
Paracetamol 2(3), 465–502	Ramipril 2(3), 425–437	Tegaserod 2(4), 559–567	Valganciclovir 2(3), 333–341
Parecoxib 2(3), 465–502	Recombinant human TNF-binding protein 2(4), 623–639	Tegretol® (see carbamazepine)	Vapiprost 2(3), 465–502
Paroxetine (see selective serotonergic reuptake inhibitor)	Ridogrel 2(3), 465–502	Telithromycin 2(3), 357–373	Valproic acid 2(5), 733–737
Pasipay™ (see passiflora)	Rifampicin 2(1), 61–66	Tenoxicam 2(3), 455–463	VDM11 2(1), 141–150
Passiflora 2(4), 609–614	Risedronate 2(2), 179–189	Terbogrel 2(3), 465–502	VDM13 2(1), 141–150
Pegvisomant 2(4), 525–532	Risperidone 2(3), 399–406	Terpenes 2(2), 243–247	Velcade 2(3), 381–386
Pemoline (see CNS stimulants)	Rituximab 2(1), 13–21	Tetracycline 2(3), 357–373	Venlafaxine 2(5), 733–737
Penicillin 2(1), 61–66	Rivastigmine 2(4), 649–658	Thiazolidinedione 2(1), 113–119	Vidaza™ (see vidaza azacitidine)
2(3), 357–373	Rizatriptan 2(3), 349–356	2(2), 207–222	Vidaza azacitidine 2(5), 717–731
Pentoxifylline 2(4), 649–658	Rofecoxib 2(3), 465–502	2(4), 623–639	Vioxx 2(3), 465–502
Pgi2 2(3), 465–502	2(3), 325–328	Ticlopidine & clopidogrel 2(3), 465–502	Vitamin D 2(2), 179–189
Phenobarbital 2(5), 733–737	Rosiglitazone (see thiazolidinediones)	Ticlopidine 2(3), 465–502	Warfarin 2(4), 545–557
PhenoSense™ 2(1), 131–140	Rowatinex® (see essential oil preparations)	Tirofiban 2(3), 465–502	Xenical 2(1), 7–12]
Phenylmethylsulfonyl fluoride 2(1), 141–150	Roxifiban 2(3), 465–502	Tobramycin 2(1), 61–66	Zebularine 2(5), 717–731
Phenytoin 2(5), 733–737	Selective serotonergic reuptake inhibitor 2(2), 249–254	Topamax® (see topiramate) 2(5), 759–765	Zelnorm™ (see tegaserod)
Picotamide 2(3), 465–502	Serotonin 2(2), 191–206	Topiramate 2(5), 733–737	Zofran® (see ondansetron)
Pimecrolimus 2(1), 37–56	Sibutramine 2(1), 107–112	Trichlormethiazide 2(3), 333–341	Zoledronate (see bisphosphonates)
Pioglitazone (see thiazolidinediones)	Sildenafil 2(2), 233–238	Triflusal 2(3), 465–502	Zolmitriptan 2(3), 349–356
Piperacillin 2(1), 67–76		Trilepta® (see oxcarbazepine)	Zolmitriptan nasal spray 2(3), 349–356