

Author Index

- Abdollahi M
2(2), 233–238
2(2), 255–259
2(3), 393–398
2(5), 787–796
- Abrams P
2(6), 921–936
- Abruzzo G
2(4), 615–621
- Abu-Elmagd KM
2(6), 853–864
- Adibi H
2(6), 883–888
- Afshari M
2(5), 759–765
- Aghakhani S
2(6), 883–888
- Ahmadi-Abhari AA
2(3), 399–406
- Ahrén B
2(2), 207–222
- Akhondzadeh S
2(3), 399–406
2(4), 609–614
2(5), 739–744
2(5), 739–744
- Akrami SM
2(6), 883–888
- Alem ZM
2(3), 399–406
- Alfredson H
2(3), 387–392
- Al-Mosawi AJ
2(1), 91–94
2(2), 243–247
2(5), AM
- Amini H
2(5), 739–744
2(5), 739–744
- Amini RA
2(6), 883–888
- Ananda A
2(5), 733–737
- Antonello RM
2(4), 649–658
- Antoniu SA
2(6), 843–847
2(6), 849–852
- Avital S
2(4), 603–607
- Aytaman A
2(3), 439–446
- Aytug S
2(6), 901–907
- Baek GH
2(5), 779–785
- Bahtiyar G
2(3), 439–446
- Baker C
2(6), 955–967
- Baldelli S
2(1), 95–105
- Bálint GP
2(2), 287–300
- Balwit J
2(6), 823–834
- Bankole O
2(6), 901–907
- Baradar-Jalili R
2(5), 759–765
- Barrett JF
2(1), 67–76
- Bartizal K
2(4), 615–621
- Bastanhagh M-H
2(5), 759–765
2(6), 883–888
- Bathaei FS
2(5), 739–744
- Battista N
2(1), 141–150
- Beauplet A
2(6), 937–944
- Benitez-King G
2(5), 767–785
- Berger WE
2(2), 167–178
- Biraben A
2(6), 937–944
- Blondeau JM
2(1), 61–66
2(3), 357–373
2(4), 511–516
2(6), 813–818
- Bleyer AJ
2(6), 823–834
- Bond G
2(6), 853–864
- Bowman J
2(4), 615–621
- Brascesco OE
2(4), 603–607
- Brown C
2(6), 889–894
- Breuer K
2(1), 37–56
- Brook NR
2(6), 909–920
- Brooks TWA
2(4), 669–675
- Buckely CD
2(1), 121–129
2(4), 659–668
- Buckley PF
2(5), 699–707
- Burlet N
2(2), 179–189
- Burman A
2(1), 121–129
- Carballo-Jane E
2(2), 261–273
- Cather JC
2(1), 23–35
- Cattaneo D
2(1), 95–105
- Cazzato G
2(4), 649–658
- Chaney C
2(4), 587–595
- Chung MS
2(5), 779–785
- Clark LT
2(1), 113–119
2(6), 889–894
- Cokkinos DV
2(3), 415–423
- Cooper LD
2(4), 521–524
- Coremans G
2(4), 559–567
- Costa G
2(6), 853–864
- Daar ES
2(1), 131–140
- Dahlöf C
2(3), 349–356
- D'Alo F
2(5), 717–731
- Dannon PN
2(2), 249–254
2(5), 753–757
- Darvishzadeh F
2(5), 759–765
- Debrock S
2(4), 609–614
- Delano BG
2(6), 901–907
- D'Hooghe DM
2(4), 609–614
- Distant D
2(4), 597–602
- Douglas C
2(4), 615–621
- Doyle K
2(4), 521–524
- Eberhardt R
2(2), 223–228
- El-Atat FA
2(1), 113–119
- Elfhag K
2(1), 107–112
- Ernest M
2(5), 753–757
- Eshraghian MR
2(6), 883–888
- Ewaleifoh B(SA)
Fadagee M
2(5), 759–765
- Fazio N
2(2), 229–235
- Felcetto T
2(2), 261–273
- Fezza F
2(1), 141–150
- Filer A
2(1), 121–129
- Finch CK
2(4), 669–675
- Finn WF
2(4), 545–557
- Forrest G
2(2), 261–273
- Frantz-Wattley B
2(2), 261–273
- Friedman E
2(4), 597–602
- Garcia-Manero G
2(6), 835–842
- Gaspari F
2(1), 95–105
- Gasperi N
2(1), 141–150
- Ghahary A
2(5), 759–765
- Gill C
2(4), 615–621
- Gonopolski Y
2(5), 753–757
- Gony HS
2(5), 779–785
- Gonzalez AM
2(4), 521–524
- Gotti E
2(1), 95–105
- Graff-Radford SB
2(5), 733–737
- Groen GJ
2(4), 577–585
- Grunhaus L
2(2), 249–254
- Guazzi M
2(4), 641–648
- Guenther LC
2(3), 343–348

APPENDICES

- Gurnett A
2(2), 261–273
- Halapas A
2(3), 415–423
- Hansen GT
2(1), 61–66
- Haria DM
2(4), 597–602
2(6), 901–907
- Hashemi L
2(5), 739–744
- Hashim H
2(6), 921–936
- Haworth O
2(1), 121–129
- Hayat A
2(6), 901–907
- Hedelt A
2(4), 587–595
- Herth FJF
2(2), 223–228
- Hickey E
2(4), 615–621
- Hong J
2(4), 597–602
- Hughes EA
2(6), 985–900
- Hui ACF
2(3), 455–463
- Humar A
2(3), 333–341
- Iancu I
2(2), 249–254
- Issa J-PJ
2(6), 835–842
- Jabbour E
2(6), 835–842
- Jacobs PM
2(6), 871–882
- Jilma B
2(3), 465–502
- Jimenez G
2(5), 767–785
- Kandil H
2(6), 853–864
- Kantarjian HM
2(6), 835–842
- Kane I
2(5), 709–716
- Kapp A
2(1), 37–56
- Karnlipour A
2(5), 739–744
- Kashani L
2(5), 739–744
- Kavanaugh A
2(1), 13–21
- Kehoe S
2(2), 275–286
- Kelley KW
2(4), 669–675
- Khaleghnezhad Tabari N
2(5), 693–697
- Khalilzadeh A
2(2), 255–259
- Korda J
2(2), 287–300
- Koritsky D
2(6), 853–864
- Kotler M
2(2), 249–254
2(5), 753–757
- Kos K
2(6), 955–967
- Koutsilieris M
2(3), 415–423
- Kumar S
2(6), 955–967
- Kwon S
2(2), 261–273
- Lacasse JJ
2(1), 77–90
- Lachmann RH
2(4), 569–576
- Larijani B
2(5), 739–744
2(5), 693–697
2(5), 759–765
2(5), 787–796
2(6), 883–888
- La Rosa
2(6), 889–894 K
- Laughlin
2(6), 853–864
- Leavitt P
2(2), 261–273
- Lecart M-P
2(2), 179–189
- Lee SJ
2(1), 13–21
- Lembessis P
2(3), 415–423
- Leone G
2(5), 717–731
- Liberator P
2(4), 615–621
- Logan A
2(4), 521–524
- Lowengrub K
2(2), 249–254
2(5), 753–757
- Maccarone M
2(1), 141–150
- MacDonald TM
2(3), 325–328
- MacFadyen RJ
2(3), 325–328
- Mackinejad K
2(3), 399–406
- Mailapur R
2(4), 603–607
- Manninger S
Markenson JA
2(3), 447–454
- Mashayekhi F
2(2), 233–238
- Matarese L
2(6), 853–864
- Mazariegos G
2(6), 853–864
- McCall AL
2(4), 587–595
- McCallum C
2(2), 261–273
- McFarlane SI
2(1), 113–119
2(2), 159–161
2(3), 439–446
2(5), 685–688
2(6), 889–894
2(6), 901–907
- McFarlane T
2(6), 889–894
- McNamara CA
2(4), 587–595
- Meghani S
2(4), 597–602
- Menter A
2(1), 23–35
- Mezō R
2(2), 287–300
- Michael B
2(2), 261–273
- Mihalyi A
2(4), 623–639
- Milajerdi MR
2(5), 739–744
- Miller III TM
2(4), 587–595
- Misura A
2(4), 615–621
- Mohammadi MR
2(4), 609–614
- Moin M
2(5), 739–744
- Mojtahedzadeh M
2(2), 255–259
2(3), 393–398
- Mokhberi K
2(5), 739–744
- Momeni F
2(4), 609–614
- Moretti R
2(4), 649–658
- Morrisson J
2(2), 275–286
- Muller AF
2(4), 525–532
- Murphy LJ
2(1), 7–12
- Murillo TP
2(6), 871–882
- Mutinda KC
2(4), 609–614
- Mwenda JM
2(4), 609–614
- Nadjafi AH
2(6), 883–888
- Najafi A
2(2), 255–259
- Nejatisafa A-A
2(5), 739–744
- Nelson L
2(6), 945–953
- Nesbit G
2(6), 871–882
- Neuwelt EA
2(6), 871–882
- Newman A
2(5), 733–737
- Nicasio J
2(1), 113–119
2(5), 685–688
- Nicholson ML
2(6), 909–920
- Öhberg L
2(3), 387–392
- O'Keefe S
2(6), 853–864
- O'Neill E
2(2), 261–273
- Ortiz-Lopez L
2(5), 767–785
- Pajouhi M
2(5), 759–765
2(6), 883–888
- Pantos C
2(3), 415–423
- Paolucci P
2(4), 603–607
- Patel JV
2(6), 985–900
- Patou G
2(3), 357–373
- Parsonage G
2(1), 121–129
- Peco-Antic A
2(2), 301–309
- Perico N
2(1), 95–105
- Perna A
2(1), 95–105
- Perry ML
2(4), 587–595

- Pikounis P
2(4), 615–621
- Pishori T
2(4), 603–607
- Pliquett RU
2(3), 425–437
- Prvencher VMI
2(1), 77–90
- Rahimi R
2(5), 787–796
- Raza K
2(4), 659–668
- Razavi MK
2(1), 57–59
- Read ML
2(4), 521–524
- Reginster J-Y
2(2), 179–189
- Remuzzi G
2(1), 95–105
- Rezaie A
2(2), 233–238
- Reiter RA
2(3), 465–502
- Rogers J
2(1), 1–2
- Rosin D
2(4), 603–607
- Rosenthal RJ
2(4), 603–607
- Rossner S
2(1), 107–112
- Sadjadi A
2(6), 883–888
- Salari P
2(3), 393–398
- Salifu MO
2(4), 597–602
2(5), 787–796
2(6), 901–907
- Salmon M
2(1), 121–129
2(4), 659–668
- Sandercocock P
2(5), 709–716
- Sandquist C
2(6), 871–882
- Sands L
2(4), 603–607
- Schang LM
2(1), 77–90
- Schuster B
2(6), 853–864
- Schwartz JRL
2(2), 191–206
- Sebastian S
2(5), 699–707
- Sedighi N
2(6), 883–888
- Semba CP
2(1), 57–59
- Shafaei A-R
2(5), 739–744
- Sharifzadeh M
2(2), 233–238
- Shoop W
2(2), 261–273
- Simovic D
2(5), 797–803
- Simsa P
2(4), 609–614
- Sindhi R
2(6), 853–864
- Siu C-W
2(2), 311–319
- Smithard DG
2(6), 865–869
- Soltys K
2(6), 853–864
- Sourla A
2(3), 415–423
- Standridge JB
2(3), 375–380
- Stratilatova M
2(4), 597–602
- Sumrani N
2(4), 597–602
- Szomstein S
2(4), 603–607
- Taylor AM
2(4), 587–595
- Thaler K
2(4), 603–607
- Thompson C
2(2), 261–273
- Tillotson G
2(3), 357–373
2(4), 511–516
- Torre P
2(4), 649–658
- Tse H-F
2(2), 311–319
- Tyler KD
2(4), 587–595
- Tyrrell PJ
2(6), 853–864
- Ujire M
2(6), 901–907
- Urbanowski MD
2(1), 77–90
- van der Lely AJ
2(4), 525–532
- Vassigh A-R
2(5), 759–765
- Vazin A
2(2), 255–259
- Voso MT
2(5), 717–731
- Weisler RH
2(4), 533–544
- Werfel TT
2(1), 37–56
- Wexner S
2(4), 603–607
- Wilder-Smith OHG
2(4), 577–585
- Wilson CH
2(6), 909–920
- Wolff AP
2(4), 577–585
- Wong S-M
2(3), 455–463
- Yam P
2(4), 669–675
- Zaller D
2(2), 261–273
- Zamani MJ
2(2), 233–238
- Zare F
2(6), 883–888
- Zenoni S
2(1), 95–105
- Zhang P
2(1), 1–2
2(3), 381–386
- Compound Index**
- 2-arachidonoyl glycerol
2(1), 141–150
- 2-[(diphenylmethyl)sulfinyl]acetamide
(see Modafinil)
- 2,4,6-tripyridyl-5-triazine
2(2), 233–238
- 3TC
2(1), 131–140
- Abciximab
2(3), 465–502
- Acetylsalicylic acid
2(6), 889–894
- Actilyse® (see alteplase)
- Acyclovir
2(3), 333–341
- Adalimumab
2(1), 13–21
2(3), 447–454
- Adenosine
2(3), 465–502
2(6), 843–847
- Advanced obesity drug 9604
2(6), 955–967
- AeroChamber® Plus
2(2), 167–178
- Agalsidase- α
2(4), 569–576
- Agalsidase- β
2(4), 569–576
- Aldosterone
2(3), 425–437
- Alefacept
2(1), 23–35
- Alendronate
2(2), 179–189
- Alglucerase
2(4), 569–576
- Allopurinol
2(5), 739–744
- Almotriptan
2(3), 349–356
- Alosetron
2(4), 559–567
- Alphacalcidol
2(6), 823–834
- Alteplase
2(5), 709–716
- Aluminum hydroxide
2(6), 823–834
- AM1172
2(1), 141–150
- AM404
2(1), 141–150
- AMD3100
2(1), 121–129
- Amevive®
2(1), 13–21
- Amiloride
2(4), 669–675
- Amiodarone
2(4), 641–648
- Amitriptyline
2(5), 733–737
- Amoxicillin
2(1), 67–76
2(3), 357–373
- Amoxicillin/clavulanate
2(3), 357–373
- Amphetamine
(see CNS stimulants)
- Amphotericin B
2(4), 615–621
- Ampicillin
2(1), 67–76
- Anandamide
2(1), 141–150
- Anakinra
2(3), 447–454
- Angiotensin-converting enzyme inhibitor
2(2), 301–309
2(6), 823–834
2(6), 889–894
2(6), 901–907
- Angiotensin receptor blockers
2(2), 301–309
2(6), 889–894
2(6), 901–907
- Anorexigens
2(6), 843–847

APPENDICES

- AR-C69931MX
2(3), 465–502
- Aripiprazole
2(5), 699–707
- Ascolimus
2(1), 37–56
- Aspirin
2(3), 465–502
2(3), 325–328
2(6), 985–900
- Atorvastatin
2(6), 985–900
- Azacitidine
2(5), 717–731
2(6), 835–842
- Azithromycin
2(3), 357–373
2(4), 511–516
2(6), 813–818
- Baclofen
2(5), 733–737
- Beclomethasone dipropionate 2
(2), 167–178
- Bendrofluzide
2(3), 455–463
- Berapost
2(6), 843–847
2(6), 849–852
- Betamethasone
2(3), 343–348
- Betamethasone dipropionate
2(3), 343–348
- Betamethasone valerate
2(1), 37–56
- Bisphosphonates
2(2), 179–189
- Bosentan
2(6), 843–847
2(6), 849–852
- Botox® (see botulinum toxin)
- Botulinum toxin
2(6), 945–953
- Botulinum-A toxin
2(6), 921–936
- Bradykinin
2(3), 465–502
- Budesonide
2(2), 167–178
- Bupropion
2(5), 753–757
2(6), 955–967
- Calcipotriol
2(1), 37–56
2(3), 343–348
- Calcium
2(2), 179–189
- Calcium acetate
2(4), 545–557
2(6), 823–834
- Calcium carbonate
2(4), 545–557
2(6), 823–834
- Calcium citrate
2(6), 823–834
- Campath 1H
2(6), 853–864
- Candersartan
(see angiotensin receptor blockers)
- Capsaicin
2(6), 921–936
- Captopril
(see angiotensin-converting enzyme inhibitor)
- Carbachol
2(2), 191–206
- Carbamezapine
2(5), 733–737
2(6), 937–944
2(6), 955–967
- Carbatrol® (see carbamezapine)
- Carboplatin
2(2), 275–286
- Carbostent
2(3), 465–502
- Carvedilol
2(4), 641–648
- Caspofungin
2(4), 615–621
- Ceftriaxone
2(3), 357–373
- Cefuroxime axetil
2(3), 357–373
- Celecoxib
2(3), 325–328
2(4), 623–639
- Cephalosporin
2(3), 357–373
- Chloramphenicol
2(1), 61–66
- Ciclesonide
2(2), 167–178
- Cidofovir
2(3), 333–341
- Cilansetron
2(4), 559–567
- Cilostazol
2(3), 465–502
- Ciprofloxacin
2(3), 357–373
2(6), 823–834
- Cisplatin
2(2), 275–286
2(3), 381–386
- Clarithromycin
2(3), 357–373
2(6), 813–818
- Clavulanic acid
2(1), 67–76
- Clobetasol-17-propionate
2(1), 37–56
- Clobetasone 17-butyratecream
2(3), 343–348
- Clonazepa
2(5), 733–737
- Clonidine
2(6), 945–953
- Clopidogrel
2(3), 465–502
2(6), 889–894
- CNS stimulants
2(2), 191–206
- Codeine
2(6), 853–864
- Combidex® (see ferumoxtran-10)
- Concomitant lorazepam
2(5), 739–744
- Coumadin
2(3), 425–437
- Cosyntropin
2(2), 167–178
- Creatinine
2(2), 179–189
- CS-747
2(3), 465–502
- Cyclophosphamide
2(2), 275–286
- Cyclosporine
2(1), 13–21
2(1), 95–105
2(6), 823–834
- Cymbalta® (see duloxetine)
- Cytarabine
2(5), 717–731
- Cytoxan
2(6), 853–864
- Daclizumab
2(6), 853–864
- Daivobet® (see betamethasone dipropionate ointment)
- Danazol
2(4), 623–639
- Darifenacin
2(6), 921–936
- Darifenacin hydrobromide
2(6), 921–936
- Decitabine
2(5), 717–731
2(6), 835–842
- Deoxycytidine monophosphate
2(3), 333–341
- Depakote® (see valproic acid)
- Desisobutryl-ciclesonide
2(2), 167–178
- Desmopressin
2(4), 669–675
- Dexfenfluramine
2(6), 955–967
- Dextran
2(6), 871–882
- Dextroamphetamine
(see CNS stimulants)
- Diazepam
2(5), 733–737
2(6), 945–953
- Diclofenac
2(3), 465–502
2(3), 325–328
- Digoxin
2(3), 357–373
2(4), 545–557
2(6), 823–834
2(6), 843–847
- Dilantin® (see phenytoin)
- Dinarvand
2(3), 399–406
- Diphenoxylate-atropine
2(6), 853–864
- Dipyridamole
2(3), 465–502
- Divalproex
2(5), 739–744
- Donepezil
2(4), 649–658
- Dopamine
2(2), 191–206
- Dorner® (see beraprost)
- Dovobet® (see betamethasone dipropionate ointment)
- Doxorubicin
2(2), 275–286
- Duloxetine
2(5), 733–737
- Dysport® (see botulinum toxin)
- Effexor® (see venlafaxine)
- Eletriptan
2(3), 349–356
- Enalapril (see angiotensin-converting enzyme inhibitor)
- Endorem® (see feridex)
- Epoprostenol
2(6), 843–847
2(6), 849–852
- Eptifibatide
2(3), 465–502
- Erlotinib
2(1), 1–2
- Erythromycin
2(3), 357–373
2(6), 813–818
- Erythropoietin
2(6), 865–869
- Essential oil preparations
2(2), 243–247
- Estrogen
2(6), 921–936

Etanercept	Gemifloxacin	Interferon- β	Loperamide
2(1), 13–21	2(1), 61–66	2(4), 521–524	2(4), 559–567
2(4), 623–639	2(3), 357–373	Interleukin-1	2(6), 853–864
Ezetimibe	Gingerols	2(3), 447–454	Losartan (see angiotensin receptor blockers)
2(6), 985–900	2(3), 465–502	2(6), 865–869	Lotronex™ (see alosetron)
Exenatide	Gleevec® (also, Glivec®)	Interleukin-2	Loxoribine
2(2), 207–222	2(1), 1–2	2(6), 853–864	2(4), 623–639
Extended-release dipyridamole	Glimepiride (see sulfonylureas)	Intravenous cidofovir	Lyrica® (see pregabalin)
2(3), 465–502	Glipizide (see sulfonylureas)	2(3), 333–341	Macrolide/azalide
Fast-disintegrating/rapid-release oral sumatriptan	Glyburide (see sulfonylureas)	Intravenous foscarnet	2(3), 357–373
2(3), 349–356	Glycopyrronium bromide	2(3), 333–341	2(6), 813–818
Fenfluramine	GR 65,630	Intravenous ganciclovir	Magnevist® (see gadolinium)
2(6), 955–967	2(4), 559–567	2(3), 333–341	Mannitol
Fenofibrate	Grepafloxacin	2(5), 797–803	2(6), 871–882
2(6), 985–900	2(1), 61–66	lopamidol	Maribavir
Feridex	2(3), 357–373	2(6), 909–920	2(3), 333–341
2(6), 871–882	Halobetasol	Irbesartan	Megestrol
Ferumoxytol	2(3), 343–348	2(3), 425–437	2(6), 865–869
2(6), 871–882	Haloperidol	Iressa®	Melagatran
Ferumoxtran-10	2(5), 739–744	2(1), 1–2	2(3), 465–502
2(6), 871–882	Heparin	Josamycin	Metformin
Fesoterodine	2(1), 57–59	2(6), 813–818	2(6), 955–967
2(6), 921–936	2(6), 889–894	Ketamine hydrochloric acid	Methicillin
FK506	Histamine	2(3), 415–423	2(2), 287–300
2(1), 37–56	2(2), 191–206	Klonopin® (see clonazepa)	Methotrexate
Flavoxate	Histone deacetylase inhibitors	KW-7	2(1), 13–21
2(6), 921–936	2(6), 835–842	2(3), 465–502	2(3), 447–454
Flolan® (see epoprostenol)	Humira®	Lamictal® (see lamotrigine)	Methylcellulose
Flavopiridol	2(1), 13–21	Lamivudine	2(6), 955–967
2(1), 77–90	Hydrofluoroalkane	2(1), 131–140	Methylphenidate (see CNS stimulants)
Fluoxetine	2(2), 167–178	Lamifiban	Methylphenidate
2(6), 955–967	Ibandronate	2(3), 465–502	2(2), 191–206
Fluticasone propionate	2(2), 179–189	Lamotrigine	2(4), 609–614
2(2), 167–178	Ibuprofen	2(3), 399–406	Methylprednisolone
Flurbiprofen	2(3), 325–328	2(5), 733–737	2(3), 455–463
2(3), 465–502	2(3), 455–463	2(6), 937–944	2(5), 797–803
2(6), 921–936	2(3), 465–502	Lanthanum carbonate	Metoprolol
Fomiverson	Iloprost	2(4), 545–55	2(4), 545–557
2(3), 333–341	2(6), 843–847	2(6), 823–834	2(6), 823–834
Foscarnet	2(6), 849–852	L-DOPA	Miglustat
2(3), 333–341	Imatinib	2(1), 141–150	2(4), 569–576
Fosrenol® (see lanthanum carbonate)	2(1), 1–2	Leflunomide	Modafinil
Frovatriptan	Imiglucerase	2(3), 333–341	2(2), 191–206
2(3), 349–356	2(4), 569–576	Levetiracetam	Modified-released dipyridamole
Gabapentin	Imipramine	2(6), 937–944	2(3), 465–502
2(5), 733–737	2(6), 921–936	Levofloxacin	Mometasone furoate
2(6), 937–944	Imodium® (see loperamide)	2(1), 61–66	2(2), 167–178
2(6), 955–967	Indomethacin	2(3), 357–373	Morphine-triggered naltrexone delivery system
Gadolinium	2(4), 669–675	2(4), 511–516	2(3), 399–406
2(6), 871–882	2(6), 921–936	2(6), 883–888	Moxifloxacin
Galantamine	Infliximab	Lidocaine	2(1), 61–66
2(4), 649–658	2(1), 13–21	2(3), 455–463	2(3), 357–373
Ganciclovir	2(3), 447–454	Lioresal® (see baclofen)	Mycophenolate mofetil
2(3), 333–341	2(6), 623–639	Lisinopril (see angiotensin-converting enzyme inhibitor)	2(6), 823–834
Gatifloxacin	Inhaled corticosteroid	Lisinopril	2(6), 853–864
2(1), 61–66	2(2), 167–178	2(4), 641–648	<i>N</i> -(4-hydroxyphenyl)arachidonoyl-amide
2(3), 357–373	Interferon- α	Lithium carbonate	2(1), 141–150
Gefitinib	2(2), 229–235	2(4), 669–675	

APPENDICES

<i>N</i> -arachidonoylbenzylamine 2(1), 141–150	Paracetamol 2(3), 465–502	Propantheline 2(6), 921–936	Sertraline 2(6), 955–967
<i>N</i> -arachidonoylethanolamine 2(1), 141–150	Parecoxib 2(3), 465–502	Propentophylline 2(4), 649–658	Sevelamer hydrochloride 2(6), 823–834
<i>N</i> -arachidonoylpropylamine 2(1), 141–150	Paropantheline bromide 2(6), 945–953	Propiverine 2(6), 921–936	Sibutramine 2(1), 107–112
Naltrexone 2(3), 399–406 2(5), 753–757	Paroxetine (see selective serotonergic reuptake inhibitor)	Prostacyclin 2(6), 843–847 2(6), 849–852	Sildenafil 2(2), 233–238 2(6), 849–852
Naproxen 2(3), 465–502 2(3), 325–328	Pasipay™ (see passiflora)	Provigil® (see modafinil)	Simvastatin 2(6), 985–900
Naratriptan 2(3), 349–356	Passiflora 2(4), 609–614	Ps-341 2(3), 381–386	Sinerem® (see ferumoxtran-10)
NCX 4016 2(3), 465–502	Pegvisomant 2(4), 525–532	Pulmicort® (see budesonide)	Sodium valproate 2(6), 937–944
Neoral 2(1), 95–105	Pemoline (see CNS stimulants)	Pyridoxine 2(3), 333–341	Solifenacin 2(6), 921–936
Neurontin® (see gabapentin)	Penicillin 2(1), 61–66 2(3), 357–373 2(6), 813–818	Ramipril 2(3), 425–437	Solumedrol 2(6), 853–864
<i>N</i> -desethyloxybutynin 2(6), 921–936	Pentoxifylline 2(4), 649–658	Rapamycin 2(6), 853–864	Somatostatin 2(2), 229–235
<i>N</i> -oleoylethanolamide 2(1), 141–150	Pgi2 2(3), 465–502	Recombinant human TNF-binding protein 2(4), 623–639	STI-571 2(1), 1–2
<i>N</i> -palmitoylethanolamine 2(1), 141–150	Phenobarbital 2(5), 733–737 2(6), 937–944	Remodulin® (see treprostinil)	Sulfapyrazone 2(3), 465–502
NSP 513 2(3), 465–502	PhenoSense™ 2(1), 131–140	Resiniferatoxin 2(6), 921–936	Sulfonylureas 2(2), 207–222 2(5), ED
Olanzapine 2(5), 739–744	Phenoybenzamine indomethacin 2(6), 945–953	Ridogrel 2(3), 465–502	Sumatriptan 2(3), 349–356
Olympus BF-UC40P 2(2), 223–228	Phentermine 2(6), 955–967	Rifampicin 2(1), 61–66	Tacrolimus 2(1), 37–56 2(4), 597–602 2(6), 853–864
Omniscan 2(6), 871–882	Phenylmethylsulfonyl fluoride 2(1), 141–150	Rimonabant 2(6), 955–967	Tamsulosin 2(6), 921–936
Ondansetron 2(4), 559–567	Phenytoin 2(5), 733–737 2(6), 937–944	Risedronate 2(2), 179–189	Tarceva® 2(1), 1–2
Opium 2(6), 853–864	Picotamide 2(3), 465–502	Risperidone 2(3), 399–406	Taxane 2(2), 275–286
Oral acyclovir 2(3), 333–341	Pimecrolimus 2(1), 37–56	Rituximab 2(1), 13–21	Tazobactam 2(1), 67–76
Oral and intravenous ganciclovir 2(3), 333–341	Pioglitazone (see thiazolidinediones)	Rivastigmine 2(4), 649–658	Tegaserod 2(4), 559–567
Oral ganciclovir 2(3), 333–341	Piperacillin 2(1), 67–76	RizatRIPTAN 2(3), 349–356	Tegretol® (see carbamazepine)
Orlistat 2(1), 7–12 2(6), 955–967	Polidocanol 2(3), 387–392	Rofecoxib 2(3), 465–502 2(3), 325–328	Telithromycin 2(3), 357–373
Ornithine ketoacid transaminase 2(6), 853–864	Prasugrel 2(3), 465–502	Rosiglitazone (see thiazolidinediones)	Tenoxicam 2(3), 455–463
OSI 774 2(1), 1–2	Pravastatin 2(6), 985–900	Rosuvastatin 2(6), 985–900	Terbogrel 2(3), 465–502
Oxcarbazepine 2(5), 733–737 2(6), 937–944	Prednisolone 2(3), 455–463	Rowatine® (see essential oil preparations)	Terbutaline 2(6), 921–936
Oxybutynin 2(6), 921–936	Pregabalin 2(5), 733–737	Roxifiban 2(3), 465–502	Terpenes 2(2), 243–247
Ozdogan 2(3), 455–463	Primidone 2(6), 937–944	Roxthromycin 2(6), 813–818	Tetracycline 2(3), 357–373
Paclitaxel 2(2), 275–286	Procainamide 2(5), 717–731	Selective serotonergic reuptake inhibitor 2(2), 249–254	
	Procaine 2(5), 717–731	Serotonin 2(2), 191–206	

Thiazolidinedione	Trichlormethiazide	Valacyclovi	Vigabatrin
2(1), 113–119	2(3), 333–341	2(3), 333–341	2(6), 937–944
2(2), 207–222}	Triflusal	Valdecoxib	Vioxx
2(4), 623–639	2(3), 465–502	2(3), 465–502	2(3), 465–502
Thymoglobulin	Trilepta® (see oxcarbazepine)	2(3), 325–328	Vitamin D
2(6), 853–864	Trimethoprim/sulfamethoxazole	Valganciclovir	2(2), 179–189
Ticlopidine & clopidogrel	2(3), 357–373	2(3), 333–341	2(6), 823–834
2(3), 465–502	2(6), 813–818	Vapiprost	Warfarin
Ticlopidine	Triptolide	2(3), 465–502	2(4), 545–557
2(3), 465–502	2(2), 261–273	Valproate	2(6), 843–847
Tirofiban	Trospium	2(6), 955–967	Xenical
2(3), 465–502	2(6), 921–936	Valproic acid	2(1), 7–12]
Tobramycin	Trospium chloride	2(5), 733–737	Zebularine
2(1), 61–66	2(6), 921–936	VDM11	2(5), 717–731
Tolterodine	Trovafloxacin	2(1), 141–150	Zelnorm™ (see tegaserod)
2(6), 921–936	2(1), 61–66	VDM13	Zofran® (see ondansetron)
Topamax® (see topiramate)	2(3), 357–373	2(1), 141–150	Zoledronate (see bisphosphonates)
Topical EGF	Tums® (see renagel)	Velcade	Zolmitriptan
2(5), 759–765	Turbuhaler®	2(3), 381–386	2(3), 349–356
Topiramate	(see budesonide)	Venlafaxine	Zolmitriptan nasal spray
2(5), 733–737	UCM 707	2(5), 733–737	2(3), 349–356
2(6), 955–967	2(1), 141–150	Ventavis® (see iloprost)	Zonisamide
Tracleer® (see bosentan)	Ur-3216	Viagra® (see sildenafil)	2(6), 937–944
Treprostinil	2(3), 465–502	Vidaza™ (see vidaza azacitidine)	2(6), 955–967
2(6), 843–847	Urinex (see essential oil preparations)	Vidaza azacitidine	
2(6), 849–852		2(5), 717–731	