

Author Index

- Abdollahi M
2(2), 233–238
2(2), 255–259
2(3), 393–398
- Abruzzo G
2(4), 615–621
- Ahmadi-Abhari SA
2(3), 399–406
- Ahrén B
2(2), 207–222
- Akhondzadeh S
2(3), 399–406
2(4), 609–614
- Alem ZM
2(3), 399–406
- Alfredson H
2(3), 387–392
- Al-Mosawi AJ
2(1), 91–94
2(2), 243–247
- Antonello RM
2(4), 649–658
- Avital S
2(4), 603–607
- Aytaman A
2(3), 439–446
- Bahtiyar G
2(3), 439–446
- Baldelli S
2(1), 95–105
- Bálint GP
2(2), 287–300
- Barrett JF
2(1), 67–76
- Bartizal K
2(4), 615–621
- Battista N
2(1), 141–150
- Berger WE
2(2), 167–178
- Blondeau JM
2(1), 61–66
2(3), 357–373
2(4), 511–516
- Bowman J
2(4), 615–621
- Brascesco OE
2(4), 603–607
- Breuer K
2(1), 37–56
- Brooks TWA
2(4), 669–675
- Buckely CD
2(1), 121–129
2(4), 659–668
- Burlet N
2(2), 179–189
- Burman A
2(1), 121–129
- Carballo-Jane E
2(2), 261–273
- Cather JC
2(1), 23–35
- Cattaneo D
2(1), 95–105
- Cazzato G
2(4), 649–658
- Chaney C
2(4), 587–595
- Clark LT
2(1), 113–119
- Cokkinos DV
2(3), 415–423
- Cooper LD
2(4), 521–524
- Coremans G
2(4), 559–567
- Daar ES
2(1), 131–140
- Dahlöf C
2(3), 349–356
- Dannon PN
2(2), 249–254
- Debrock S
2(4), 609–614
- D'Hooghe DM
2(4), 609–614
- Distant D
2(4), 597–602
- Douglas C
2(4), 615–621
- Doyle K
2(4), 521–524
- Eberhardt R
2(2), 223–228
- El-Atat FA
2(1), 113–119
- Elfhag K
2(1), 107–112
- Fazio N
2(2), 229–235
- Felcetto T
2(2), 261–273
- Fezza F
2(1), 141–150
- Filer A
2(1), 121–129
- Finch CK
2(4), 669–675
- Finn WF
2(4), 545–557
- Forrest G
2(2), 261–273
- Frantz-Wattley B
2(2), 261–273
- Friedman E
2(4), 597–602
- Gaspari F
2(1), 95–105
- Gasperi N
2(1), 141–150
- Gill C
2(4), 615–621
- Gonzalez AM
2(4), 521–524
- Gotti E
2(1), 95–105
- Groen GJ
2(4), 577–585
- Guazzi M
2(4), 641–648
- Guenther LC
2(3), 343–348
- Gurnett A
2(2), 261–273
- Halapas A
2(3), 415–423
- Hansen GT
2(1), 61–66
- Haria DM
2(4), 597–602
- Haworth O
2(1), 121–129
- Hedelt A
2(4), 587–595
- Herth FJF
2(2), 223–228
- Hickey E
2(4), 615–621
- Hong J
2(4), 597–602
- Hui ACF
2(3), 455–463
- Humar A
2(3), 333–341
- Iancu I
2(2), 249–254
- Jilma B
2(3), 465–502
- Kapp A
2(1), 37–56
- Kavanaugh A
2(1), 13–21
- Kehoe S
2(2), 275–286
- Kelley KW
2(4), 669–675
- Khalilzadeh A
2(2), 255–259
- Korda J
2(2), 287–300
- Kotler M
2(2), 249–254
- Koutsilieris M
2(3), 415–423
- Kwon S
2(2), 261–273
- Lacasse JJ
2(1), 77–90
- Lachmann RH
2(4), 569–576
- Leavitt P
2(2), 261–273
- Lecart M-P
2(2), 179–189
- Lee SJ
2(1), 13–21
- Lembessis P
2(3), 415–423
- Liberator P
2(4), 615–621
- Logan A
2(4), 521–524
- Lowengrub K
2(2), 249–254
- Grunhaus L
2(2), 249–254
- Maccarone M
2(1), 141–150
- MacDonald TM
2(3), 325–328
- MacFadyen RJ
2(3), 325–328
- Mackinejad K
2(3), 399–406
- Mailapur R
2(4), 603–607
- Markenson JA
2(3), 447–454
- Mashayekhi F
2(2), 233–238
- McCall AL
2(4), 587–595
- McCallum C
2(2), 261–273
- McFarlane SI
2(1), 113–119
2(2), 159–161
2(3), 439–446
- McNamara CA
2(4), 587–595
- Meghani S
2(4), 597–602

APPENDICES

- Menter A
2(1), 23–35
- Mező R
2(2), 287–300
- Michael B
2(2), 261–273
- Mihalyi A
2(4), 623–639
- Miller III TM
2(4), 587–595
- Misura A
2(4), 615–621
- Mohammadi MR
2(4), 609–614
- Mojtahedzadeh M
2(2), 255–259
2(3), 393–398
- Momeni F
2(4), 609–614
- Moretti R
2(4), 649–658
- Morrisson J
2(2), 275–286
- Muller AF
2(4), 525–532
- Murphy LJ
2(1), 7–12
- Mutinda KC
2(4), 609–614
- Mwenda JM
2(4), 609–614
- Najafi A
2(2), 255–259
- Nicasio J
2(1), 113–119
- Öhberg L
2(3), 387–392
- O'Neill E
2(2), 261–273
- Pantos C
2(3), 415–423
- Paolucci P
2(4), 603–607
- Patou G
2(3), 357–373
- Parsonage G
2(1), 121–129
- Peco-Antic A
2(2), 301–309
- Perico N
2(1), 95–105
- Perna A
2(1), 95–105
- Perry ML
2(4), 587–595
- Pikounis P
2(4), 615–621
- Pishori T
2(4), 603–607
- Pliquett RU
2(3), 425–437
- Prvencher VMI
2(1), 77–90
- Raza K
2(4), 659–668
- Razavi MK
2(1), 57–59
- Read ML
2(4), 521–524
- Reginster J-Y
2(2), 179–189
- Remuzzi G
2(1), 95–105
- Rezaie A
2(2), 233–238
- Reiter RA
2(3), 465–502
- Rogers J
2(1), 1–2
- Rosin D
2(4), 603–607
- Rosenthal RJ
2(4), 603–607
- Rossner S
2(1), 107–112
- Salari P
2(3), 393–398
- Salifu MO
2(4), 597–602
- Salmon M
2(1), 121–129
2(4), 659–668
- Sands L
2(4), 603–607
- Schang LM
2(1), 77–90
- Schwartz JRL
2(2), 191–206
- Semba CP
2(1), 57–59
- Sharifzadeh M
2(2), 233–238
- Shoop W
2(2), 261–273
- Simsa P
2(4), 609–614
- Siu C-W
2(2), 311–319
- Sourla A
2(3), 415–423
- Standridge JB
2(3), 375–380
- Stratilatova M
2(4), 597–602
- Sumrani N
2(4), 597–602
- Szomstein S
2(4), 603–607
- Taylor AM
2(4), 587–595
- Thaler K
2(4), 603–607
- Thompson C
2(2), 261–273
- Tillotson G
2(3), 357–373
2(4), 511–516
- Torre P
2(4), 649–658
- Tse H-F
2(2), 311–319
- Tyler KD
2(4), 587–595
- Urbanowski MD
2(1), 77–90
- van der Lely AJ
2(4), 525–532
- Vazin A
2(2), 255–259
- Weisler RH
2(4), 533–544
- Werfel TT
2(1), 37–56
- Wexner S
2(4), 603–607
- Wilder-Smith OHG
2(4), 577–585
- Wolff AP
2(4), 577–585
- Wong S-M
2(3), 455–463
- Yam P
2(4), 669–675
- Zaller D
2(2), 261–273
- Zamani MJ
2(2), 233–238
- Zenoni S
2(1), 95–105
- Zhang P
2(1), 1–2
2(3), 381–386
- Compound Index**
- 2-arachidonoyl glycerol
2(1), 141–150
- 2-[(diphenylmethyl)sulfinyl]acetamide
(see Modafinil)
- 2,4,6-tripryridyl-S-triazine
2(2), 233–238
- 3TC
2(1), 131–140
- Abciximab
2(3), 465–502
- Acyclovir
2(3), 333–341
- Adalimumab
2(1), 13–21
2(3), 447–454
- Adenosine
2(3), 465–502
- AeroChamber® Plus
2(2), 167–178
- Agalsidase- α
2(4), 569–576
- Agalsidase- β
2(4), 569–576
- Aldosterone
2(3), 425–437
- Alefacept
2(1), 23–35
- Alendronate
2(2), 179–189
- Alglucerase
2(4), 569–576
- Almotriptan
2(3), 349–356
- Alosetron
2(4), 559–567
- AM1172
2(1), 141–150
- AM404
2(1), 141–150
- AMD3100
2(1), 121–129
- Amevive®
2(1), 13–21
- Amiloride
2(4), 669–675
- Amiodarone
2(4), 641–648
- Amoxicillin
2(1), 67–76
2(3), 357–373
- Amoxicillin/clavulanate
2(3), 357–373
- Amphetamine
(see CNS stimulants)
- Amphotericin B
2(4), 615–621
- Ampicillin
2(1), 67–76
- Anandamide
2(1), 141–150
- Anakinra
2(3), 447–454
- Angiotensin receptor blockers
2(2), 301–309
- Angiotensin-converting enzyme
inhibitor 2(2), 301–309
- AR-C69931MX
2(3), 465–502
- Ascolimus
2(1), 37–56

Aspirin	Cidofovir	Dopamine	Glimepiride (see Sulfonylureas)
2(3), 465–502	2(3), 333–341	2(2), 191–206	Glipizide (see Sulfonylureas)
2(3), 325–328	Cilansetron	Dovobet® (see betamethasone	Glyburide (see Sulfonylureas)
(Stand)	2(4), 559–567	dipropionate ointment)	GR 65,630
Azithromycin	Cilostazol	Doxorubicin	2(4), 559–567
2(3), 357–373	2(3), 465–502	2(2), 275–286	Grepafloxacin
2(4), 511–516	Ciprofloxacin	Eletriptan	2(1), 61–66
Beclomethasone dipropionate 2	2(3), 357–373	2(3), 349–356	2(3), 357–373
(2), 167–178	Cisplatin	Enalapril (see angiotensin-converting	Halobetasol
Bendroflumazide	2(2), 275–286	enzyme inhibitor)	2(3), 343–348
2(3), 455–463	2(3), 381–386	Eptifibatide	Heparin
Betamethasone	Clarithromycin	2(3), 465–502	2(1), 57–59
2(3), 343–348	2(3), 357–373	Erlotinib	Histamine
Betamethasone dipropionate	Clavulanic acid	2(1), 1–2	2(2), 191–206
2(3), 343–348	2(1), 67–76	Erythromycin	Humira®
Betamethasone valerate	Clobetasol-17-propionate	2(3), 357–373	2(1), 13–21
2(1), 37–56	2(1), 37–56	Essential oil preparations	Hydrofluoroalkane
Bisphosphonates	Clobetasone 17-butyratecream	2(2), 243–247	2(2), 167–178
2(2), 179–189	2(3), 343–348	Etanercept	Ibandronate
Bradykinin	Clopidogrel	2(1), 13–21	2(2), 179–189
2(3), 465–502	2(3), 465–502	2(4), 623–639	Ibuprofen
Budesonide	CNS stimulants	Exenatide	2(3), 325–328
2(2), 167–178	2(2), 191–206	2(2), 207–222	2(3), 455–463
Calcipotriol	Coumadin	Extended-release dipyridamole	2(3), 465–502
2(1), 37–56	2(3), 425–437	2(3), 465–502	Imatinib
2(3), 343–348	Cosyntropin	Fast-disintegrating/rapid-release oral	2(1), 1–2
Calcium	2(2), 167–178	sumatriptan	Imiglucerase
2(2), 179–189	Creatinine	2(3), 349–356	2(4), 569–576
Calcium acetate	2(2), 179–189	FK506	Imodium® (see loperamide)
2(4), 545–557	CS-747	2(1), 37–56	Indomethacin
Calcium carbonate	2(3), 465–502	Flavopiridol	2(4), 669–675
2(4), 545–557	Cyclophosphamide	2(1), 77–90	Infliximab
Candesartan	2(2), 275–286	Fluticasone propionate	2(1), 13–21
(see angiotensin receptor blockers)	Cyclosporine	2(2), 167–178	2(3), 447–454
Captopril	2(1), 13–21	Flurbiprofen	2(4), 623–639
(see angiotensin-converting	2(1), 95–105	2(3), 465–502	Inhaled corticosteroid
enzyme inhibitor)	Daivobet® (see betamethasone	Fomiversen	2(2), 167–178
Carbachol	dipropionate ointment)	2(3), 333–341	Interferon-α
2(2), 191–206	Danazol	Foscarnet	2(2), 229–235
Carboplatin	2(4), 623–639	2(3), 333–341	Interferon-β
2(2), 275–286	Deoxycytidine monophosphate	Fosrenol®	2(4), 521–524
Carbostent	2(3), 333–341	(see lanthanum carbonate)	Interleukin-1
2(3), 465–502	Desisobutyl-ciclesonide	Frovatriptan	2(3), 447–454
Carvedilol	2(2), 167–178	2(3), 349–356	Intravenous cidofovir
2(4), 641–648	Desmopressin	Galantamine	2(3), 333–341
Caspofungin	2(4), 669–675	2(4), 649–658	Intravenous foscarnet
2(4), 615–621	Dextroamphetamine	Ganciclovir	2(3), 333–341
Ceftriaxone	(see CNS stimulants)	2(3), 333–341	Intravenous ganciclovir
2(3), 357–373	Diclofenac	Gatifloxacin	2(3), 333–341
Cefuroxime axetil	2(3), 465–502	2(1), 61–66	Irbesartan
2(3), 357–373	2(3), 325–328	2(3), 357–373	2(3), 425–437
Celecoxib	Digoxin	Gefitinib	Iressa®
2(3), 325–328	2(3), 357–373	2(1), 1–2	2(1), 1–2
2(4), 623–639	2(4), 545–557	Gemifloxacin	Ketamine hydrochloric acid
Cephalosporin	Dinarvand	2(1), 61–66	2(3), 415–423
2(3), 357–373	2(3), 399–406	2(3), 357–373	KW-7
Chloramphenicol	Dipyridamole	Gingerols	2(3), 465–502
2(1), 61–66	2(3), 465–502	2(3), 465–502	Lamivudine
Ciclesonide	Donepezil	Gleevec® (also, Glivec®)	2(1), 131–140
2(2), 167–178	2(4), 649–658	2(1), 1–2	

APPENDICES

Lamifiban	Moxifloxacin	Penicillin	Selective serotonergic reuptake inhibitor
2(3), 465–502	2(1), 61–66	2(1), 61–66	inhibitor
Lamotrigine	2(3), 357–373	2(3), 357–373	2(2), 249–254
2(3), 399–406	<i>N</i> -(4-hydroxyphenyl)arachidonoyl- amide	Pentoxifylline	Serotonin
Lanthanum carbonate	2(1), 141–150	2(4), 649–658	2(2), 191–206
2(4), 545–557	<i>N</i> -arachidonoylbenzylamine	Pgi2	Sibutramine
L-DOPA	2(1), 141–150	2(3), 465–502	2(1), 107–112
2(1), 141–150	<i>N</i> -arachidonoylethanolamine	PhenoSense™	Sildenafil
Leflunomide	2(1), 141–150	2(1), 131–140	2(2), 233–238
2(3), 333–341	<i>N</i> -arachidonoylpropylamine	Phenylmethylsulfonyl fluoride	Somatostatin
Levofloxacin	2(1), 141–150	2(1), 141–150	2(2), 229–235
2(1), 61–66	Naltrexone	Picotamide	STI-571
2(3), 357–373	2(3), 399–406	2(3), 465–502	2(1), 1–2
2(4), 511–516	Naproxen	Pimecrolimus	Sulfinpyrazone
Lidocaine	2(3), 465–502	2(1), 37–56	2(3), 465–502
2(3), 455–463	2(3), 325–328	Pioglitazone (see thiazolidinediones)	Sulfonylureas
Lisinopril (see angiotensin-converting enzyme inhibitor)	Naratriptan	Piperacillin	2(2), 207–222
Lisinopril	2(3), 349–356	2(1), 67–76	Sumatriptan
2(4), 641–648	NCX 4016	Polidocanol	2(3), 349–356
Lithium carbonate	2(3), 465–502	2(3), 387–392	Tacrolimus
2(4), 669–675	Neoral	Prasugrel	2(1), 37–56
Loperamide	2(1), 95–105	2(3), 465–502	2(4), 597–602
2(4), 559–567	<i>N</i> -oleoylethanolamide	Prednisolone	Tarceva®
Losartan (see angiotensin Receptor Blockers)	2(1), 141–150	2(3), 455–463	2(1), 1–2
Lotronex™ (see alosetron)	<i>N</i> -palmitoylethanolamine	Propentophylline	Taxane
Loxoribine	2(1), 141–150	2(4), 649–658	2(2), 275–286
2(4), 623–639	NSP 513	Provigil® (see Modafinil)	Tazobactam
Macrolide/azalide	2(3), 465–502	Ps-341	2(1), 67–76
2(3), 357–373	Olympus BF-UC40P	2(3), 381–386	Tegaserod
Maribavir	2(2), 223–228	Pulmicort® (see budesonide)	2(4), 559–567
2(3), 333–341	Ondansetron	Pyridoxine	Telithromycin
Melagatran	2(4), 559–567	2(3), 333–341	2(3), 357–373
2(3), 465–502	Oral acyclovir	Ramipril	Tenoxicam
Methicillin	2(3), 333–341	2(3), 425–437	2(3), 455–463
2(2), 287–300	Oral and intravenous ganciclovir	Recombinant human TNF-binding protein	Terbogrel
Methotrexate	2(3), 333–341	2(4), 623–639	2(3), 465–502
2(1), 13–21	Oral ganciclovir	Ridogrel	Terpenes
2(3), 447–454	2(3), 333–341	2(3), 465–502	2(2), 243–247
Methylphenidate (see CNS stimulants)	Orlistat	Rifampicin	Tetracycline
Methylphenidate	2(1), 7–12	2(1), 61–66	2(3), 357–373
2(2), 191–206	OSI 774	Risedronate	Thiazolidinedione
2(4), 609–614	2(1), 1–2	2(2), 179–189	2(1), 113–119
Methylprednisolone	Ozdogan	Risperidone	2(2), 207–222}
2(3), 455–463	2(3), 455–463	2(3), 399–406	2(4), 623–639
Metoprolol	Paclitaxel	Rituximab	Ticlopidine & clopidogrel
2(4), 545–557	2(2), 275–286	2(1), 13–21	2(3), 465–502
Miglustat	Paracetamol	Rivastigmine	Ticlopidine
2(4), 569–576	2(3), 465–502	2(4), 649–658	2(3), 465–502
Modafinil	Parecoxib	Rizatriptan	Tirofiban
2(2), 191–206	2(3), 465–502	2(3), 349–356	2(3), 465–502
Modified-released Dipyridamole	Paroxetine (see selective serotonergic reuptake inhibitor)	Rofecoxib	Tobramycin
2(3), 465–502	Pasipay™ (see passiflora)	2(3), 465–502	2(1), 61–66
Mometasone furoate	Passiflora	2(3), 325–328	Trichlormethiazide
2(2), 167–178	2(4), 609–614	Rosiglitazone (see thiazolidinediones)	2(3), 333–341
Morphine-triggered Naltrexone Delivery system	Pegvisomant	rowatinox® (see essential oil preparations)	Triflusal
2(3), 399–406	2(4), 525–532	2(3), 465–502	2(3), 465–502
	Pemoline (see CNS stimulants)	Roxifiban	Trimethoprim/sulfamethoxazole
		2(3), 465–502	2(3), 357–373

Triptolide	2(2), 261–273	Urinex (see essential oil preparations)	VDM11	2(1), 141–150	Warfarin	2(4), 545–557
Trovafloxacin	2(1), 61–66	Valacyclovi	VDM13	2(1), 141–150	Xenical	2(1), 7–12]
	2(3), 357–373	Valdecoxib	Velcade	2(3), 381–386	Zelnorm™ (see tegaserod)	
Turbuhaler®	(see budesonide)	Valganciclovir	Vioxx	2(3), 465–502	Zofran® (see ondansetron)	
UCM 707	2(1), 141–150	Vapiprost	Vitamin D	2(2), 179–189	Zoledronate (see bisphosphonates)	
Ur-3216	2(3), 465–502				Zolmitriptan	2(3), 349–356
					Zolmitriptan nasal spray	2(3), 349–356