

## GLOSSARY

A list of all abbreviations and terms appearing in this issue of *Therapy*

AM	Alveolar macrophages	EMEA	European Medicines Agency	MRZ	Moxifloxacin, rifampicin and pyrazinamide
AN	Anorexia nervosa	EMR	Endoscopic mucosal resection	MTCT	Mother-to-child transmission
ART	Antiretroviral therapy	FBT-BN	Family-based treatment for bulimia nervosa	NICE	National Institute for Clinical Excellence
ARV	Antiretroviral	FDC	Fixed dose combinations	NIH	National Institutes of Health
BE	Barrett's esophagus	FT	Family therapy	NNRTI	Non-nucleoside reverse transcriptase inhibitor
BED	Binge-eating disorder	GCLP	Good clinical laboratory practice	NOC/c	Notification of compliance with conditions
BM	Bronchial mucosa	GCP	Good clinical practice	NRTI	Nucleoside reverse transcriptase inhibitor
BMI	Body mass index	GEFT	Group Embedded Figures Task	NTP	National TB programs
BN	Bulimia nervosa	GEJ	Gastroesophageal junction	OCI-R	Obsessive-compulsive inventory-revised
BSS	Behavioral Surveillance Survey	GFATM	Global fund against AIDS, TB and Malaria	OD	Outer diameter
C	Circumferential	GI	Gastrointestinal	PEPFAR	Presidential Emergency Fund for AIDS relief
CBT	Cognitive-behavioral	GTZ	German Agency for Technical Cooperation and Development	PLWH	People living with HIV
CBT-A	Cognitive-behavioral therapy for adolescents	HAART	Highly active antiretroviral therapy	PMTCT	Prevention of mother-to-child transmission
CBT-GSC	Cognitive-behavioral guided self care	HADS	Hospital anxiety and depression scale	QTc	Corrected QT
CHMP	Committee for Medicinal Products for Human Use	HCV	Hepatitis C	RCFT	Rey-Osterrieth Complex Figure
CIOMS	Council for International Organizations of Medical Sciences	HGIN	High-grade intraepithelial neoplasia	RCT	Randomized, controlled trial
CMA	Conditional Marketing Authorisation	HOPS	HIV Outpatient Study	RHS	Reproductive Health Survey
CR	Complete response	HSR	Hypersensitivity reaction	SBS	Sexual Behavior Survey
DAART	Directly administered antiretroviral therapy	IAS	International AIDS Society	SD	Standard deviation
DFID	Department for International Development	ID	Inner diameter	sd-NVP	Single-dose nevirapine
DHS	Demographic and Health Survey	IFF	International Finance Facility	SPT	Supportive psychotherapy
DOT	Directly observed therapy	IHC	Immunohistochemistry	SSA	Sub-Saharan Africa
DOTS	Directly observed short-course therapy strategy	IM	Intestinal metaplasia	STI	Sexually transmitted disease
DSM-IV	Diagnostic and Statistical Manual of Mental Disorders 4th Edition	IPT	Interpersonal psychotherapy	TAC	Treatment Action Campaign
EBA	Early bactericidal activity	M	Noncircumferential	TB	Tuberculosis
EDCTP	European Developing Countries Clinical Trials Partnership	mDOT	Modified DOT program	TBTC	TB Clinical Trials Consortium
ED-NOS	Eating disorder-not otherwise specified	MEMS	Medication Event Monitoring System, Moxifloxacin, isoniazid, rifampicin and pyrazinamide	TGF	Top of gastric folds
ELF	Epithelial lining fluid	MHRZ	Multiple Indicator Cluster Survey	TMT	Trail Making Test
		MICS	Multipolar electrocoagulation	VCT	Voluntary counseling and testing
		MPEC		VT	Ventricular tachycardia
				WCST	Wisconsin Card-Sorting Test
				XDR	Extensively drug-resistant strains
				ZDV	Zidovudine